



Stampede® 4X4 Brushless (Model 67154-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)

Body & Accessories

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
9015	Body mounts, front & rear/ 3x12mm CS (4)/ 3x12mm shoulder screw (2)/ 3x10mm flat-head machine screw (6)/ 3x12mm BCS (1)
9010	Body reinforcement set (fits #9011 body)
9013	Body support/ 3x12mm CS (4) / (fits #9011 body)
9011	Body, Hoss® 4X4 VXL (clear, requires painting)/ window, grille, lights decal sheet
9011G	Body, Hoss® 4X4 VXL, green (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
9011A	Body, Hoss® 4X4 VXL, orange (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
9011X	Body, Hoss® 4X4 VXL, ProGraphix® (Graphics are printed, requires paint & final color application)/ window, grille, lights decal sheet
9011R	Body, Hoss® 4x4 VXL, Solar Flare (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6762-BLUE	Body, Stampede® 4X4 Brushless, blue (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
6762-GRN	Body, Stampede® 4X4 Brushless, green (painted, decals applied) (assembled with front & rear body mounts and rear body support for clipless mounting)
2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9017	Skid plate, roof (body) (black) (left & right)/ 3x8mm CS (4)
9012	Tailgate protector/ 3x10mm flat-head screw (3)

Center Driveline

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5120	Ball bearings, blue rubber sealed (12x18x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
9041	Cover, center driveshaft (clear)
6877	Cover, gear/ motor wire hold-down clip
6888	Drive hub, center, rear (1)/ 4x3 GS (1)
6888X	Drive hub, front, hardened steel (1)/ screw pin (1)
6765	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)
6765G	Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)
6765A	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)
6765R	Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)
6767	Driveshaft, center, plastic, (black)/ screw pin
9090X	Gear adapter, fixed
9090	Gear adapter, fixed
5148	Grease, white lithium
6890	Plate, motor
6890X	Plate, motor, 6061-T6 aluminum (blue-anodized)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2554	Screws, 3x6mm caphead machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
1647	Silicone Grease
5351	Slipper pressure plate and hub (alloy)

Chassis & Attachments

9026	Battery hold-down (2)/ battery clip/ hold-down post/ screw pin/ pivot post screw
6724	Box, receiver (sealed)/ foam pad/ 2.5x8mm CS (4)/ 3x10mm CS (2)
9096	Bumper, front (with LED lights) (replacement for #9035 front bumper)
9035	Bumper, front/ bumper support

9097	Bumper, rear (with LED lights) (replacement for #9036 rear bumper)
9036	Bumper, rear/ bumper mount, rear/ bumper support, rear
9022	Chassis
9023	Nerf bars, chassis (2)
9078	Wheelie bar (assembled)
5186A	Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
5186	Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ axles (2)/ rubber tires (2)
9461X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461A	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461P	Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)
9461R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2)

Differential Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5117	Ball bearings, blue rubber sealed (6x12x4mm) (2)
5118	Ball bearings, blue rubber sealed (8x16x5mm) (2)
5381	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
6780A	Center differential, complete (fits Hoss® 4X4 VXL)
6780	Differential kit, center (complete)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
6788	Differential, front (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6789	Differential, rear (complete with pinion gear and differential plastics) (fits 1/10-scale Rally & 4X4 VXL models: Slash®, Stampede®, Rustler®) (13/37 ratio)
6882X	Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
6783	Gear set, differential (spider gears (4)/ spider gear shaft (2))
6781	Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket (1)/ bushings (4)/ 5x10x0.5 PTW (1)/ 2.5x10 CCS (with threadlock) (4)
9081	Housing, center differential/ x-ring gaskets (2)/ 5x10x0.5 PTFE-coated washer (1)/ 2.5x10 CCS (4)
6881	Housings, differential, front
6880	Housings, differential, rear
6782	Output gears, center differential, hardened steel (2)
5379X	Ring gear, differential/ pinion gear, differential
5379R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)
6879R	Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)
6879	Ring gear, differential/ pinion gear, differential (rear)
3965	Screws, 2.5x8mm cap-head machine (6)
1647	Silicone Grease

Driveline Components

5119A	Ball bearings, black rubber sealed (10x15x4mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
9059X	Cross pin (2)/ drive pin (2) (repairs 1 axle shaft)
9057X	Differential output shafts, steel-splined constant-velocity (2)
6828A	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)/ screw pin (2)
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6852A	Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
6765	Driveshaft, center, 6061-T6 aluminum (blue-anodized) (189mm)
6765G	Driveshaft, center, 6061-T6 aluminum (green-anodized) (189mm)
6765A	Driveshaft, center, 6061-T6 aluminum (orange-anodized) (189mm)
6765R	Driveshaft, center, 6061-T6 aluminum (red-anodized) (189mm)
6767	Driveshaft, center, plastic, (black)/ screw pin

Page 2 Stampede® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 67154-4) Parts List

9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	9043	Screw pins, 3x16mm, extreme heavy duty (6) (for use with #9080 upgrade kit)
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)
9055X	Half shaft, external splined (steel-spline constant velocity) (1)	9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)
9056X	Half shaft, internal splined (steel-spline constant velocity) (1)	9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)
9058X	Rebuild kit, steel-splined constant-velocity driveshafts (includes pins and hardware for one axle shaft)	9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)
6854A	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)	9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)
9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)	9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)	9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)	9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
Extreme HD Upgrade Kit			
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9055	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)
9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9054	Stub axle, front, 6mm, extreme heavy duty (for use with #9051R steel CV driveshafts)
9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	9053	Stub axle, rear, 6mm, extreme heavy duty (for use with #9052R steel CV driveshafts)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)	9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	9069	Wheel hubs, 12mm hex (steel), extreme heavy duty (4)/ 2x9.8mm pin (4) (for use with #9080 upgrade kit and 6mm axles)
9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	Front Suspension & Steering	
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)
9080	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black	6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
9080X	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue	6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
9080-GRAY	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray	6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
9080G	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, green	6830X	Bulkhead, front
9080T	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, orange	6735	Bumper, front/ skidplate, front (black)
9080R	Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, red	6748-BLK	Camber link set (plastic/ non-adjustable) (front & rear) (black)
		3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
		3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
		3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
		9032	Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
		9032X	Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
		9032-GRAY	Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)

Page 3 Stampede® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 67154-4) Parts List

9032G	Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	2745 1747P	Nuts, 3mm nylon locking (12) Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
9032T	Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	3647 1747R 1747G 1747T	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
9032R	Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x32mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
9057	Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft) (for use with #9080 upgrade kit)	1985 5525 2742X	PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) Rod ends (12)/ hollow balls (12) Rod ends, short (6)/ hollow balls (6)
6845A	Drag link, machined 6061-T6 aluminum (blue-anodized)	3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
6845G	Drag link, machined 6061-T6 aluminum (green-anodized)	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
6845T	Drag link, machined 6061-T6 aluminum (orange-anodized)	3965	Screws, 2.5x8mm cap-head machine (6)
6845R	Drag link, machined 6061-T6 aluminum (red-anodized)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
6851A	Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)	2578	Screws, 3x12mm button-head machine (hex drive) (6)
9051	Driveshaft assembly, front, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)	2552 2579	Screws, 3x12mm countersunk machine (6) (hex drive) Screws, 3x15mm button-head machine (hex drive) (6)
9051R	Driveshafts, front, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)	2586 3646 2583	Screws, 3x15mm cap-head machine (hex drive) (6) Screws, 3x15mm flat-head machine (hex drive) (6) Screws, 3x18 button-head machine (hex drive) (6)
7438	Linkage, steering	2580	Screws, 3x20mm button-head machine (hex drive) (6)
9038	Shock tower, front, extreme heavy duty, black (for use with #9080 upgrade kit)	2591 2582	Screws, 3x23mm button-head machine (hex drive) (6) Screws, 3x30mm button-head machine (hex drive) (6)
9038X	Shock tower, front, extreme heavy duty, blue (for use with #9080 upgrade kit)	2592	Screws, 3x40mm button-head machine (hex drive) (6)
9038-GRAY	Shock tower, front, extreme heavy duty, gray (for use with #9080 upgrade kit)	2575 2534	Screws, 3x6mm button-head machine (hex drive) (6) Screws, 3x6mm countersunk machine (6) (hex drive)
9038G	Shock tower, front, extreme heavy duty, green (for use with #9080 upgrade kit)	3932	Screws, 3x6mm flat-head machine (hex drive) (6)
9038T	Shock tower, front, extreme heavy duty, orange (for use with #9080 upgrade kit)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
9038R	Shock tower, front, extreme heavy duty, red (for use with #9080 upgrade kit)	1552	Screws, 3x8mm cap-head machine (hex drive) (6)/ washers (6)/ wrench
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering	3931	Screws, 3x8mm flat-head machine (hex drive) (6)
9037	Steering blocks, extreme heavy duty, black (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	3936 3937	Screws, 4x10mm button-head machine (hex drive) (6) Screws, 4x12mm button-head machine (hex drive) (6)
9037X	Steering blocks, extreme heavy duty, blue (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	2542	Screws, 4x12mm countersunk machine (hex drive) (6)
9037-GRAY	Steering blocks, extreme heavy duty, gray (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	3938	Screws, 4x14mm button-head machine (hex drive) (6)
9037G	Steering blocks, extreme heavy duty, green (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
9037T	Steering blocks, extreme heavy duty, orange (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	2743	Set (grub) screws, 3mm hardened (12)
9037R	Steering blocks, extreme heavy duty, red (left & right)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
9056	Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft) (for use with #9080 upgrade kit)	2754	Stub axle pins (4)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)	2746	Washers, 3x6mm metal (12)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)		
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)		
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)		
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)		
6834	Suspension pin set, complete (front and rear)		
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)		
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)		
6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)		
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)		
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)		
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)		
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)		
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)		

LED Lights

9096	Bumper, front (with LED lights) (replacement for #9035 front bumper)
9097	Bumper, rear (with LED lights) (replacement for #9036 rear bumper)
6541X	Connector, power tap (with cable)/ 2.6x8 BCS (2) (use #6549 power tap for telemetry voltage)
9095	LED light set, complete (includes front and rear bumpers with LED lights, 3-volt accessory power supply, and power tap connector (with cable) (fits #9011 body)

Motors & Electronics

1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
3382	BL-2s™ Brushless Power System, waterproof (includes BL-2s™ ESC & BL-2s™ 3300 motor)
3383	BL-2s™ Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
3456	Cooling fan kit (with shroud) (fits #3351R and #3461 motors) (requires #3458 heat sink to mount)
9090X	Gear adapter, fixed
9090	Gear adapter, fixed
2072A	Gear set (for 2070, 2075 servos)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
6860A	Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
6860R	Motor mount, 6061-T6 aluminum (blue-anodized)
6890	Plate, motor
6890X	Plate, motor, 6061-T6 aluminum (blue-anodized)
3347	Screws, 2.5x5mm button-head machine (hex drive) (6)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)

Hardware

1926	Antenna caps, vinyl (2)/ antenna spool
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
1589	Double-sided adhesive tape (25mm x 25mm)

Page 4 Stampede® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 67154-4) Parts List

2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof

Radio System, Batteries & Chargers

2827X	3000mah 7.4v 2-Cell LiPo Battery
2843X	5800mah 7.4v 2-Cell 25C LiPo Battery
2869X	7600mah 7.4v 2-Cell 25C LiPo Battery
2914	AA 4PK
2976	AC to DC adapter
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
2260	BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage)
2975	Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
2978	Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977)
2072A	Gear set (for 2070, 2075 servos)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2272	Gear set, metal (for 2270 waterproof servo)
2072R	Gear set, metal, high-speed (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6519	Receiver, micro, TQ 2.4GHz (3-channel)
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (middle) (blue-anodized) (for 2250 servo)
2253	Servo case, aluminum (middle) (red-anodized) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2271	Servo case/ gaskets (for 2270 waterproof servo)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2075	Servo, digital high-torque (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
2270	Servo, digital high-torque, metal gear (ball bearing), waterproof
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6516	Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)

6529	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module

Ready-To-Race Model

67154-4	Stampede 4X4® Brushless: 1/10-scale 4WD Monster Truck with TQ™ 2.4GHz radio system
---------	--

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
6829	Bulkhead, rear
6748-BLK	Camber link set (plastic/ non-adjustable) (front & rear) (black)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
9050	Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050X	Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050-GRAY	Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050G	Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050T	Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9050R	Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x41mm hinge pins (2)/ 3x20mm BCS (2) (for use with #9080 upgrade kit)
9052	Driveshaft assembly, rear, extreme heavy duty with 6mm axle (1)/ screw pin (1) (left or right) (fully assembled, ready to install) (for use with #9080 upgrade kit)
9052R	Driveshafts, rear, extreme heavy duty, steel-spline constant-velocity with 6mm stub axles (complete assembly) (2) (for use with #9080 upgrade kit)
9039	Shock tower, rear, extreme heavy duty, black (for use with #9080 upgrade kit)
9039X	Shock tower, rear, extreme heavy duty, blue (for use with #9080 upgrade kit)
9039-GRAY	Shock tower, rear, extreme heavy duty, gray (for use with #9080 upgrade kit)
9039G	Shock tower, rear, extreme heavy duty, green (for use with #9080 upgrade kit)
9039T	Shock tower, rear, extreme heavy duty, orange (for use with #9080 upgrade kit)
9039R	Shock tower, rear, extreme heavy duty, red (for use with #9080 upgrade kit)
3655P	Suspension arms, blue, front/rear (left & right), heavy duty (2)
3655R	Suspension arms, front/rear (left & right), heavy duty (2)
3655G	Suspension arms, green, front/rear (left & right), heavy duty (2)
3655T	Suspension arms, orange, front/rear (left & right), heavy duty (2)
3655L	Suspension arms, red, front/rear (left & right), heavy duty (2)
6834	Suspension pin set, complete (front and rear)
9042	Suspension pin set, extreme heavy duty, complete (front and rear) (3x52mm (4), 3x32mm (2), 3x40mm (2)) (for use with #9080 upgrade kit)
9042X	Suspension pin set, extreme heavy duty, complete (front and rear) (hardened steel) (3x52mm (4), 3x32mm (2), 3x40mm (2))/ M2.5x0.45mm NL (8) (for use with #9080 upgrade kit)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)

Page 5 Stampede® 4X4 Brushless: TQ™ 2.4GHz Radio (Model 67154-4) Parts List

- 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
- 5029 Shock oil bottle (60cc) (for mixing shock oil)
- 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
- 5038 Spinning carousel rack

Shocks (GTR)

- 7466X Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
- 7466 Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7466G Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7466A Body, GTR long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7466R Body, GTR long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
- 7467X Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
- 7467 Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
- 7467G Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
- 7467A Body, GTR xx-long shock, aluminum (orange-anodized) (PTFE-coated bodies) (1)
- 7467R Body, GTR xx-long shock, aluminum (red-anodized) (PTFE-coated bodies) (1)
- 7468 Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 7463 Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
- 5469 Rod ends (GTR shocks)
- 7464T Shaft, GTR long, TiN-coated (2)
- 7465T Shaft, GTR xx-long, TiN-coated (2)
- 7461 Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461G Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7461X Shocks, GTR long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462X Shocks, GTR xx-long, hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 7440 Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
- 7441 Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
- 7444 Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
- 7445 Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
- 7448 Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
- 7442 Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
- 7443 Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
- 7446 Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
- 7447 Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
- 7449 Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big-bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (2)
- 2662 Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (2) (Big Bore Shocks)
- 2362 Shock rebuild kit (for 2 shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)

- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)

Shocks (Ultra Shocks)

- 3765A Body, Ultra Shock (long) (grey) (2)
- 3766A Body, Ultra Shock (XXL) (grey) (2)
- 5475 Multi-tool (plastic)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 8361 Shock caps (black) (4) (assembled with hollow balls)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767T Shock caps, aluminum (orange-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 3758 Springs (front) (2)
- 3758T Springs, blue (front) (2)
- 3757T Springs, blue (rear) (2)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 3758A Springs, green (front) (2)
- 3757A Springs, green (rear) (2)
- 3758P Springs, pink (front) (2)
- 3757P Springs, pink (rear) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 3758X Springs, white (front) (2)
- 3757X Springs, white (rear) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 6893X Bearing adapter, 6061-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
- 6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/ pin (1)
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))

- 5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
 2554 Screws, 3x6mm caphead machine (hex drive) (6)
 5351 Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

- 6877 Cover, gear/ motor wire hold-down clip
 9090 Gear adapter, fixed
 9090X Gear adapter, fixed
 6746 Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
 6745 Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw
 3956 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
 6842X Spur gear, steel, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
 3956X Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)

Steering Components

- 5114 Ball bearings, blue rubber shield (5x8x2.5mm) (2)
 6845A Drag link, machined 6061-T6 aluminum (blue-anodized)
 6845G Drag link, machined 6061-T6 aluminum (green-anodized)
 6845T Drag link, machined 6061-T6 aluminum (orange-anodized)
 6845R Drag link, machined 6061-T6 aluminum (red-anodized)
 7438 Linkage, steering
 2742X Rod ends, short (6)/ hollow balls (6)
 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
 6742 Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
 6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
 6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
 6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
 2746 Washers, 3x6mm metal (12)

Suspension Linkage

- 2537 3mm threaded rods: 1 each of 20mm,25mm&44mm
 6748-BLK Camber link set (plastic/ non-adjustable) (front &rear) (black)
 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
 5525 Rod ends (12)/ hollow balls (12)
 3739 Screw pin set (Rustler®/ Bandit/ Stampede®)
 6834 Suspension pin set, complete (front and rear)
 6742 Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
 6742X Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
 6742G Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
 6742R Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)

Team Traxxas Items

- 9916 Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
 2514 Decal sheet, racing sponsors
 9917 Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
 1985 PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings)
 1647 Silicone Grease
 2754 Stub axle pins (4)
 4175 Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, paddle tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
 3669A Tires & wheels, assembled, glued (2.8") (All-Star black chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2) (TSM® rated)
 3669 Tires & wheels, assembled, glued (2.8") (All-Star chrome wheels, Talon tires, foam inserts) (nitro rear/electric front) (2)
 6792 Tires & wheels, assembled, glued (black 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
 9072 Tires & wheels, assembled, glued (black chrome 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
 9072-GRAY Tires & wheels, assembled, glued (charcoal gray 2.8" wheels, Sledgehammer® tires, foam inserts) (2) (TSM® rated)
 3665X Tires & wheels, assembled, glued (chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
 3665 Tires & wheels, assembled, glued (satin chrome wheels, Terra Groove dual profile tires, foam inserts) (nitro rear/ electric front) (2)
 6771 Tires & wheels, assembled, glued 2.8" (All-Star chrome wheels, Maxx® tires, foam inserts) (2)
 6769 Tires, Talon EXT 2.8" (2)/ foam inserts (2)
 6772 Wheels, RXT 2.8" (black) (2)

Traxxas Tools

- 3433X Body reamer (aluminum handle)
 3433 Body reamer (plastic handle)
 3436 Cap, body reamer
 3432 Scissors, curved tip
 3431 Scissors, straight tip
 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
 8720 Speed bit handle, large (overmolded)
 8721 Speed bit handle, medium (one piece)
 8722 Speed bit handle, premium (rubber overmold)
 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

Turnbuckles & Threaded Rods

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than Titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3643R	Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends (4)/ aluminum wrench (1) (#2579 3x15 BCS (4) required for installation)
5525	Rod ends (12)/ hollow balls (12)
6742	Toe link, front & rear (molded composite) (2)/ hollow balls (4) (87mm center to center)
6742X	Toe links (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742G	Toe links (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
6742R	Toe links (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (87mm) (2)/ rod ends (4) aluminum wrench (1)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM