



Slash 4X4 Ultimate (Model 68077-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

- 4607 **Ball bearings (5x11x4mm) (8)**
- 4612 **Ball bearings (10x15x4mm) (2)**
- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 **Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
- 1726A Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 3935 **Body clip (mounting clip), angled, 90-degrees (10)**
- 3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 1815 Body washers (8)
- 6716 **Body washers, foam, 2mm (2)/ 3mm (2)/ 4mm (4)**
- 6811 **Body, Slash 4X4 (clear, requires painting)/ window masks/ decal sheet**
- 6817 **Body, Slash 4X4, Amsoil (painted, decals applied)**
- 6831 **Body, Slash 4X4, Chad Hord (painted, decals applied)**
- 6844X Body, Slash 4X4, green and blue (painted, decals applied)
- 6818 **Body, Slash 4X4, Greg Adler, 4 Wheel Parts (painted, decals applied)**
- 5849 **Body, Slash 4X4, Hawaiian graphics (painted, decals applied)**
- 6820 **Body, Slash 4X4, Jeff Kincaid (painted, decals applied)**
- 6825X **Body, Slash 4X4, Mark Jenkins #25 (painted, decals applied)**
- 6826R **Body, Slash 4X4, Mike Jenkins #47 (2014 paint) (painted, decals applied)**
- 6844 Body, Slash 4X4, orange and blue (painted, decals applied)
- 5812 **Body, Slash 4X4, ProGraphix® (Graphics are printed, requires paint & final color application)/ decal sheet**
- 5848 **Body, Slash 4X4, Rock n' Roll (painted, decals applied)**
- 6889 **Body, Slash 4X4/Slash, Arie Luyendyk Jr. (painted, decals applied)**
- 6849 **Body, Slash 4X4/Slash, Fox Edition (painted, decals applied)**
- 2514 **Decal sheet, racing sponsors**
- 6813 Decal sheet, Slash 4X4
- 9950 **Official Team Traxxas® racing decal set (flag logo/ 6-color)**

Center Driveline

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5120 Ball bearings, blue rubber sealed (12x18x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 6893G **Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)**
- 6893X **Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)**
- 7477 Cover, gear/ wire retainer
- 6814 **Differential kit, center (complete)**
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6883 **Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)**
- 5148 Grease, white lithium
- 6884 **Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)**
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
- 7460A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 7460R **Motor mount, 6061-T6 aluminum (blue-anodized)**
- 7490 Plate, motor
- 7490G **Plate, motor, green**
- 5352R **Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**

- 5352X **Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))**
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 1647 Silicone grease
- 6878 Slipper clutch, complete
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 **Slipper pressure plate and hub (alloy)**

Chassis & Attachments

- 7426 Battery hold-down (1)/ hold-down retainer, front & rear (1 each)
- 7426X Battery hold-downs, tall (2) (allows for installation of taller, multi-cell batteries)
- 6815R Body mount (1)/ body mount post (2)/ body post extensions (2) (front or rear)
- 7424 Box, receiver (sealed)/ foam pads/ 2.5x12mm CS (2)/ 3x6mm CS (2)/ 3x12mm BCS (2)
- 6835 Bumper, front/ bumper mount, front (black)
- 6836 Bumper, rear/ bumper mount, rear (black)
- 7422 **Chassis**
- 7422A Chassis, charcoal gray
- 7423 Nerf bars, chassis (2)
- 7425 Seal kit, receiver box (includes o-ring, seals, and silicone grease)
- 7437 Skidplate, front

Differential Components

- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5117 Ball bearings, blue rubber sealed (6x12x4mm) (2)
- 5118 Ball bearings, blue rubber sealed (8x16x5mm) (2)
- 5381 Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 6x10x0.5 TW
- 6780 **Differential kit, center (complete)**
- 6814 **Differential kit, center (complete)**
- 5136X **Differential oil kit (1 each: 10K, 30K, 50K weights)**
- 6783 **Gear set, center differential (output gears (2)/ spider gears (4)/ spider gear shaft (2))**
- 6882X Gear set, differential (output gears (2)/ spider gears (2)/ spider gear shaft, carrier support)
- 6781 **Housing, center differential (aluminum)/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5mm PTFE-coated washers (2)/ 2.5x8 CCS (4)**
- 6881 Housings, differential, front
- 6880 Housings, differential, rear
- 6782 **Output gears, center differential, hardened steel (2)**
- 5379X Ring gear, differential/ pinion gear, differential
- 5379R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (front)**
- 6879R **Ring gear, differential/ pinion gear, differential (machined, spiral cut) (rear)**
- 6879 Ring gear, differential/ pinion gear, differential (rear)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 1647 Silicone grease

Driveline Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5119 Ball bearings, blue rubber sealed (10x15x4mm) (2)
- 5116 Ball bearings, blue rubber sealed (5x11x4mm) (2)
- 6758 **Differential output shaft (for steel constant-velocity driveshafts) (2)**
- 6828A **Differential output yoke assembly, extreme heavy duty (2) (left or right, front or rear) (assembled with external-splined half shaft)**
- 6851A Driveshaft assembly, front, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6852A Driveshaft assembly, rear, extreme heavy duty (1) (left or right) (fully assembled, ready to install)/ screw pin (1)
- 6855 Driveshaft, center, 6061-T6 aluminum (blue-anodized)
- 6855G **Driveshaft, center, 6061-T6 aluminum (green-anodized)**
- 6855R **Driveshaft, center, 6061-T6 aluminum (red-anodized)**
- 6851R **Driveshafts, front, steel-spline constant-velocity (complete assembly) (2)**
- 6852R **Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2)**
- 6750 **Half shaft, external splined (steel-spline constant-velocity) (1)**
- 6751 **Half shaft, internal splined (steel-spline constant-velocity) (1)**
- 6757 **Rebuild kit, steel-splined constant-velocity driveshafts (includes pins, dustboots, lube, and hardware)**

Page 2 Slash 4X4 Ultimate: TQi Radio, Traxxas Link Wireless Module, & TSM (Model 68077-4) Parts List

- 6854A **Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)**
- 6853A **Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)**
- 6754 **Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)**
- 6753 **Stub axle, rear, 5mm (steel-splined constant-velocity driveshaft) (1)**

- 2552 Screws, 3x12mm countersunk machine (6) (hex drive)
- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 2583 Screws, 3x18mm button-head machine (hex drive) (6)
- 2580 Screws, 3x20mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2592 Screws, 3x40mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 2534 Screws, 3x6mm countersunk machine (6) (hex drive)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3936 Screws, 4x10mm button-head machine (hex drive) (6)
- 3937 Screws, 4x12mm button-head machine (hex drive) (6)
- 2542 Screws, 4x12mm countersunk machine (hex drive) (6)
- 3938 Screws, 4x14mm button-head machine (hex drive) (6)
- 2546 Screws, 4x15mm countersunk machine (hex drive) (6)
- 2743 Set (grub) screws, 3mm hardened (12)
- 3642X Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
- 2754 Stub axle pins (4)
- 2748X Tool Set (1.5mm & 2.5mm allen's/ 4-way lug, 8mm & 4mm wrench & U-joint wrenches)
- 2746 Washers, 3x6mm metal (12)

Front Suspension & Steering

- 2728 **Ball bearings (5x8x2.5mm) (2)**
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)
- 6823 Bulkhead tie bars, front & rear, aluminum (blue-anodized)
- 6823G **Bulkhead tie bars, front & rear, aluminum (green-anodized)**
- 6823R **Bulkhead tie bars, front & rear, aluminum (red-anodized)**
- 7430X Bulkhead, front
- 3643X **Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
- 3643G **Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
- 3643R **Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)**
- 6832X Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
- 6832G **Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right**
- 6832R **Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right**
- 6832 **Caster blocks (c-hubs), left & right**
- 6895 Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 6897 Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
- 7438 Linkage, steering
- 3646 Screws, 3x15mm flat-head machine (hex drive) (6)
- 6839 Shock tower, front
- 6839X **Shock tower, front, 7075-T6 aluminum (blue-anodized)**
- 6845X Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
- 6837X Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
- 6837G **Steering blocks, 6061-T6 aluminum (green-anodized), left & right**
- 6837R **Steering blocks, 6061-T6 aluminum (red-anodized), left & right**
- 6837 **Steering blocks, left & right**
- 6854A **Stub axle assembly, front, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)**
- 6754 **Stub axle, front, 5mm (steel-splined constant-velocity driveshaft) (1)**
- 3655R Suspension arms, front/rear (left & right) (2) (heavy duty, cold weather material)
- 6834 Suspension pin set, complete (front and rear)
- 6898 Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)
- 6896 **Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)**

Motors & Electronics

- 1726 **Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
- 1726A Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2260 **BEC assembly (complete)**
- 3340 **Cooling fan, Velineon® VXL-3s ESC**
- 2072X **Gear set, metal (for 2070, 2075 servos)**
- 2252 **Gear set, metal (for 2250, 2255 servos)**
- 2072R Gear set, metal, high speed (for 2070, 2075 servos)
- 3354R Motor cover, endbell (Velineon® 3500)
- 7460A Motor mount (assembled with 3x6 flat-head machine screw)/ 3.0mm NL (1)
- 7460R **Motor mount, 6061-T6 aluminum (blue-anodized)**
- 3351R Motor, Velineon® 3500, brushless (assembled with 12-gauge wire and gold-plated bullet connectors)
- 7490 Plate, motor
- 7490G **Plate, motor, green**
- 3352R Rebuild kit, Velineon® 3500 (includes plastic endbell, 5x11x4mm ball bearings (2), 2.5x5mm BCS (with threadlock) (4), rear bushing)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2254 **Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)**
- 2253 **Servo case, aluminum (red-anodized) (middle) (for 2255 servo)**
- 2251 **Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)**
- 2074 Servo case/gaskets (for 2056 and 2075 waterproof servos)
- 2075R Servo, digital high-speed, metal gear (ball bearing), waterproof
- 2250 **Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof**
- 2255 **Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof**
- 2075X **Servo, digital high-torque, metal gear (ball bearing), waterproof**
- 3350R Velineon® VXL-3s Brushless Power System, waterproof (includes VXL-3s waterproof ESC, Velineon 3500 motor, and speed control mounting plate (part #3725))
- 3355R Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Hardware

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 **Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)**
- 1726A Antenna, tube, black (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 3935 Body clip (mounting clip), angled, 90-degrees (10)
- 3935A **Body clip (mounting clip), angled, 90-degrees (black) (10)**
- 3934 Body clips, heavy duty (12)
- 1589 Double-sided adhesive tape (25mm x 25mm) (2)
- 2586 Screws, 3x15mm cap-head machine (hex drive) (6)
- 2745 Nuts, 3mm nylon locking (12)
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 5525 Rod ends (12)/ hollow balls (12)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3347 Screws, 2.5x5mm button-head machine (hex drive) (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)

Radio System, Batteries & Chargers

- 2854X **10000mAh 7.4v 2-Cell 25C LiPo Battery**
- 2872X **5000mAh 11.1v 3-Cell 25C LiPo Battery**
- 2857X **6400mAh 11.1v 3-Cell 25C LiPo Battery**
- 2869X **7600mAh 7.4v 2-Cell 25C LiPo Battery**
- 2878X **8400mAh 11.1v 3-Cell 25C LiPo Battery**
- 2976 **AC to DC converter, 40W**
- 2938X **Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries to separate balance ports)**
- 2943 **Battery charge indicators (green (4), blue (4), grey (4))**
- 6548 Battery door, transmitter (replacement for #6516, 6517, 6528, 6529, 6530 transmitters)
- 2914 **Battery, Power Cell AA Alkaline (4)**
- 2923X **Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)**
- 2926X **Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V)**
- 2940X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)**
- 2941X **Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V)**
- 2950X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)**
- 2951X **Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V)**
- 2960X **Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)**

Page 3 Slash 4X4 Ultimate: TQi Radio, Traxxas Link Wireless Module, & TSM (Model 68077-4) Parts List

2961X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V)
2983	Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
2992	Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
2995	Battery/charger completer pack (includes #2970 iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))
2260	BEC assembly (complete)
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery Identification
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification
2971	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
2970	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)
2072X	Gear set, metal (for 2070, 2075 servos)
2252	Gear set, metal (for 2250, 2255 servos)
2072R	Gear set, metal, high speed (for 2070, 2075 servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6555	Mount, telemetry expander (fits Slash 4X4, Stampede® 4X4, Rally, Jato®)
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal pad
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
3932	Screws, 3x6mm flat-head machine (hex drive) (6)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6520	Sensor, RPM (long)/ 3x4mm BCS (2)/ 3x4 GS (1)
6521	Sensor, temperature and voltage (long)
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
2074	Servo case/gaskets (for 2056 and 2075 waterproof servos)
2075R	Servo, digital high-speed, metal gear (ball bearing), waterproof
2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof
2255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
6544	Spacers (4)/ grip pads (3)/connector dust cover (1) (for TQi docking base)
6553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
6550	Telemetry expander, TQi radio system
6551X	Telemetry GPS module 2.0, TQi radio system (compatible only with #6550X telemetry expander)
6539	Telemetry trigger magnet holder, center differential/ magnet, 5x2mm (1)/ 3x8mm BCS (3)
6538	Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ 3x8mm CCS (3)/ 3x10mm CCS (3)
6540	Telemetry trigger magnet, 5X2mm (1)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas Link™ enabled, TSM (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas Link™ Wireless Module, TSM (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 2-channel (transmitter only)
6529	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas Link™ Wireless Module
3355R	Velineon® VXL-3s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)

Ready-To-Race Model

68077-4	Slash 4X4 Ultimate: 1/10 Scale 4WD Electric Short Course Truck with TQi Radio System, Traxxas Link™ Wireless Module, & Traxxas Stability Management (TSM)®
---------	--

Rear Suspension

6823	Bulkhead tie bars, front & rear, aluminum (blue-anodized)
6823G	Bulkhead tie bars, front & rear, aluminum (green-anodized)
6823R	Bulkhead tie bars, front & rear, aluminum (red-anodized)
7429	Bulkhead, rear
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
1952X	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (rear) (2)
1952G	Carriers, stub axle (green-anodized 6061-T6 aluminum) (rear) (2)
1952	Carriers, stub axle (rear) (2)
1952A	Carriers, stub axle (red-anodized 6061-T6 aluminum) (rear) (2)
6895	Linkage, front sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6897	Linkage, rear sway bar (2) (assembled with rod ends, hollow balls and ball studs)
6838	Shock tower, rear
6838X	Shock tower, rear, 7075-T6 aluminum (blue-anodized)
6853A	Stub axle assembly, rear, outer, extreme heavy duty (1) (left or right) (assembled with internal-splined half shaft)
3655R	Suspension arms, front/rear (left & right) (2) (heavy duty, cold weather material)
6834	Suspension pin set, complete (front and rear)
6898	Sway bar kit (front and rear) (includes front and rear sway bars and adjustable linkage)
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash, rear on Slash 4X4)
6896	Wires, sway bar (front & rear, hard & soft) / 3x6 FCS (4)

Shocks (Aluminum)

1965	Piston head set, (2 sets of 3 types)/ shock collars (2)/ spring retainers (2)
1942	Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
2742X	Rod ends, short (6)/ hollow balls (6)
2760	Shock caps, aluminum (2)
1664T	Shock shafts, hardened steel, titanium nitride coated (long) (2)
2765T	Shock shafts, hardened steel, titanium nitride coated (X-long) (2)
1664	Shock shafts, steel, chrome finish (long) (2)
2765	Shock shafts, steel, chrome finish (X-long) (2)
4760	Shocks, long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (front) (2)
4761	Shocks, X-long (hard-anodized & PTFE-coated T6 aluminum) w/o springs (rear) (2)
1666	Silicone shock oil (30 wt)

Shocks (GTR)

7466X	Body, GTR long (hard-anodized, PTFE-coated aluminum) (1)
7466	Body, GTR long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7466G	Body, GTR long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7467X	Body, GTR xx-long (hard-anodized, PTFE-coated aluminum) (1)
7467	Body, GTR xx-long shock, aluminum (blue-anodized) (PTFE-coated bodies) (1)
7467G	Body, GTR xx-long shock, aluminum (green-anodized) (PTFE-coated bodies) (1)
7468X	Caps & spring retainers, GTR shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
7468	Caps and spring retainers, GTR long/xx-long shock (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
5475	Multi-tool (plastic)
5158	Nuts, 2.5mm nylon locking (12)
7463	Rebuild kit, GTR long/xx-long shocks (x-rings, bladders, pistons, piston nuts, shock rod ends, hollow balls) (renews 2 shocks)
5469	Rod ends (GTR shocks) (6)
7464T	Shaft, GTR long, TiN-coated (2)
7465T	Shaft, GTR xx-long, TiN-coated (2)
7461	Shocks, GTR long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461G	Shocks, GTR long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
7461X	Shocks, GTR long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)

Page 4 Slash 4X4 Ultimate: TQi Radio, Traxxas Link Wireless Module, & TSM (Model 68077-4) Parts List

- 7462 Shocks, GTR xx-long blue-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462G Shocks, GTR xx-long green-anodized, PTFE-coated bodies with TiN shafts (fully assembled, without springs) (2)
- 7462X Shocks, GTR xx-long hard-anodized, PTFE-coated bodies with TiN shafts (assembled) (2) (without springs)
- 8459 Spring retainers, lower (captured) (4)/ 2.5x10 CS (4)
- 7440 Spring, shock, white (GTR long) (0.623 rate orange) (1 pair)
- 7441 Spring, shock, white (GTR long) (0.653 rate green) (1 pair)
- 7444 Spring, shock, white (GTR long) (0.767 rate black) (1 pair)
- 7445 Spring, shock, white (GTR long) (0.810 rate pink) (1 pair)
- 7448 Spring, shock, white (GTR long) (0.892 rate blue) (1 pair)
- 7442 Spring, shock, white (GTR xx-long) (0.711 rate orange) (1 pair)
- 7443 Spring, shock, white (GTR xx-long) (0.762 rate green) (1 pair)
- 7446 Spring, shock, white (GTR xx-long) (0.874 rate black) (1 pair)
- 7447 Spring, shock, white (GTR xx-long) (0.884 rate pink) (1 pair)
- 7449 Spring, shock, white (GTR xx-long) (1.004 rate blue) (1 pair)

Shocks (Pro-level Aluminum)

- 2664 Big Bore shock cylinder (long) (1)
- 2666 Big Bore shock cylinder (XX-long) (1)
- 5862 Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts and springs) (front & rear) (4)
- 2660 Big Bore shocks (long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (front) (2)
- 2662 Big Bore shocks (XX-long) (hard-anodized & PTFE-coated T6 aluminum) (assembled with TiN shafts) w/o springs (rear) (2)
- 2669 Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings & washers (2) (Big Bore Shocks)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 2667 Shock caps, aluminum (Big Bore Shocks) (2)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 2668 Spring retainers, upper & lower (2)/ spring pre-load spacers: 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore Shocks)
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)
- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)

Shocks (Ultra Shocks)

- 3642 Attachment screws, shock (3x12mm shoulder screws) (6)
- 3765A Body, Ultra Shock(s) (long) (grey) (2)
- 3766A Body, Ultra Shock(s) (XXL) (grey) (2)
- 2362 Rebuild kit, Ultra shocks (for 2 shocks)
- 1942 Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2)
- 2742X Rod ends, short (6)/ hollow balls (6)
- 3767 Shock caps (2)/ shock bottoms (2)
- 3767A Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks)
- 3767G Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks)
- 3767P Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks)
- 3767X Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks)
- 1664T Shock shafts, hardened steel, titanium nitride coated (long) (2)
- 2656T Shock shafts, hardened steel, titanium nitride coated (xx-long) (2)
- 1664 Shock shafts, steel, chrome finish (long) (2)
- 2656 Shock shafts, steel, chrome finish (xx-long) (2)
- 1765 Silicone diaphragms (4)
- 1666 Silicone shock oil (30 wt)
- 3769 Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2)
- 3768 Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole (2))
- 6863 Springs, front (progressive, +10% rate, pink) (2)
- 6864 Springs, front (progressive, +20% rate, blue) (2)
- 6862 Springs, front (progressive, -10% rate, green) (2)
- 6861 Springs, front (progressive, -20% rate, orange) (2)

- 6857 Springs, front (white) (progressive rate) (2)
- 6867 Springs, rear (progressive, +10% rate, pink) (2)
- 6868 Springs, rear (progressive, +20% rate, blue) (2)
- 6866 Springs, rear (progressive, -10% rate, green) (2)
- 6865 Springs, rear (progressive, -20% rate, orange) (2)
- 6858 Springs, rear (white) (progressive rate) (2)
- 3760 Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2)
- 3762 Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)
- 3760A Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2)
- 3762A Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2)

Slipper Clutch Components

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 6893G Bearing adapter, 6061-T6 aluminum (green-anodized) (1)/ 10x15x4mm ball bearing (black rubber sealed) (1) (for slipper shaft)
- 6893X Bearing adapter, 6160-T6 aluminum (blue-anodized) (1)/10x15x4mm ball bearing (blue rubber sealed) (1) (for slipper shaft)
- 6814 Differential kit, center (complete)
- 6888 Drive hub, center, rear (1)/ 4x3 GS (1)
- 6888X Drive hub, front, hardened steel (1)/ screw pin (1)
- 6883 Gear set, center differential (output gears (2)/ spider gears (2)/ spider gear shaft)
- 6884 Housing, center differential/ x-ring gaskets (2)/ ring gear gasket/ bushings (2)/ 5x10x0.5 TW (2)/ CCS 2.5x8 (4)
- 6893 Input shaft (slipper shaft)/ bearing adapter (1)/pin (1)
- 5352R Rebuild kit (heavy duty), slipper clutch (steel disc/ aluminum friction pads (3)/ spring, Revo® (1)/ spring, Maxx® (1)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5352X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ 2x9.8mm pin/ 5x8mm MW/ 5.0mm NL (1)/ 4.0mm NL (1))
- 5552X Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1))
- 2554 Screws, 3x6mm cap-head machine (hex drive) (6)
- 6878 Slipper clutch, complete
- 5556 Slipper pressure plate & hub (aluminum alloy)
- 5351 Slipper pressure plate and hub (alloy)

Spur Gears & Pinion Gears

- 7477 Cover, gear/ wire retainer
- 3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3951X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3952X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 6842 Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch)
- 6842R Spur gear, 50-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
- 6843 Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch)
- 6843R Spur gear, 52-tooth (0.8 metric pitch, compatible with 32-pitch) (for center differential)
- 3956 Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch)
- 3956R Spur gear, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6814 center differential)
- 3956X Spur gear, steel, 54-tooth (0.8 metric pitch, compatible with 32-pitch) (requires #6780 center differential)

Steering Components

- 1552 Screws, 3x8mm cap-head machine (hex drive) (6)/washers (6)/ wrench
- 2728 Ball bearings (5x8x2.5mm) (2)
- 5114 Ball bearings, blue rubber sealed (5x8x2.5mm) (2)

Page 5 Slash 4X4 Ultimate: TQi Radio, Traxxas Link Wireless Module, & TSM (Model 68077-4) Parts List

7438	Linkage, steering
2742	Rod ends, long (6)/ hollow ball connectors (6)
6845X	Steering bellcranks/ servo saver/ servo saver spring/ servo spring retainer/servo horn, steering
2746	Washers, 3x6mm metal (12)

Suspension Linkage

3643X	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
3643G	Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
3643R	Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
3644X	Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
3644G	Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
3644R	Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
5525	Rod ends (12)/ hollow balls (12)
3739	Screw pin set (Rustler® Bandit/ Stampede®)
6834	Suspension pin set, complete (front and rear)
2537	Threaded rods (20/25/44mm 1 ea.)/ (1) 12mm set screw
3644	Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
3643	Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
5539	Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

Team Traxxas Items

2514	Decal sheet, racing sponsors
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
5854	Hub retainer, 17mm hubs, M4 X 0.7 (4) (use with #5853X, #6856X, #6469)
3647	Nuts, 4mm flanged nylon locking (steel, serrated) (8)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
1647	Silicone grease
2754	Stub axle pins (4)
5880X	Tires & wheels, assembled, glued (SCT satin chrome, beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
5887R	Tires & wheels, assembled, glued (S1 compound) (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5889R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
6891R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
6892R	Tires & wheels, assembled, glued (S1 compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5863R	Tires & wheels, assembled, glued (S1 compound) (SCT, black, orange beadlock wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
6873X	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6874R	Tires & wheels, assembled, glued (S1 ultra-soft off-road racing compound) (SCT Split-Spoke satin chrome, black beadlock style wheels, Kumho tires, foam inserts) (2) (4WD front/rear, 2WD rear only)

6873R	Tires & wheels, assembled, glued (S1 ultra-soft, off-road racing compound) (SCT Split-Spoke chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2) (4WD f/r, 2WD rear)
5887	Tires & wheels, assembled, glued (SCT chrome wheels, red beadlock style, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5867	Tires & wheels, assembled, glued (SCT chrome, red beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
5873R	Tires & wheels, assembled, glued (SCT satin chrome red beadlock wheels, ultra-soft S1 compound off-road racing tires, inserts) (2) (2WD rear, 4WD f/r)
5878	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tires, foam inserts) (2)(4WD front/rear, 2WD rear only)
5873X	Tires & wheels, assembled, glued (SCT satin chrome, black beadlock style wheels, SCT off-road racing tires, foam inserts) (2) (4WD front/rear, 2WD rear only)
6873T	Tires & wheels, assembled, glued (SCT Split-Spoke black chrome beadlock style wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 ultra-soft S1 compound off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5889	Tires & wheels, assembled, glued (SCT Split-Spoke black, satin chrome beadlock style wheel, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
6891	Tires & wheels, assembled, glued (SCT Split-Spoke chrome, red beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5891	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, beadlock style wheels, paddle tires, foam inserts) (2) (4WD front/rear, 2WD rear only) (TSM rated)
6892	Tires & wheels, assembled, glued (SCT Split-Spoke satin chrome, black beadlock style wheels, dual profile (2.2" outer, 3.0" inner), SCT off-road racing tires, foam inserts) (2) (4WD f/r, 2WD rear) (TSM rated)
5883	Tires & wheels, assembled, glued (SCT Split-Spoke, black, satin chrome beadlock wheels, BFGoodrich® Mud-Terrain™ T/A® KM2 tire, foam inserts) (2) (4WD f/r, 2WD rear)
6871R	Tires, BFGoodrich® Mud-Terrain T/A® KM2 , ultra-soft (S1 off-road racing compound) (dual profile 4.3x1.7- 2.2/3.0") (2)/ foam inserts (2)
5871R	Tires, ultra-soft, S1 compound for off-road racing, SCT dual profile 4.3x1.7- 2.2/3.0" (2)/ foam inserts (2)
1654	Wheel hubs, hex (rear) (2)/ stub axle pins (2)
6856X	Wheel hubs, splined, 17mm, short (4)/ wheel nuts, splined, 17mm (4) (blue-anodized)/ hub retainer M4 X 0.7 (4)/ axle pin (4)/ wrench, 5mm
5353	Wheel nuts, splined, 17mm (blue-anodized) (4)
5480X	Wheel wrench, splined, 17mm
5868	Wheels, SCT chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5872	Wheels, SCT satin chrome, beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only)
5872X	Wheels, SCT satin chrome, black beadlock style SCT, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5872A	Wheels, SCT satin chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)
5884	Wheels, SCT Split-Spoke, black, satin chrome beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD f/r, 2WD rear) (2)
6872X	Wheels, SCT Split-Spoke, chrome, green beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
6872A	Wheels, SCT Split-Spoke, chrome, red beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear) (2)
6872	Wheels, SCT Split-Spoke, satin chrome, black beadlock style, dual profile (2.2" outer, 3.0" inner) (4WD front/rear, 2WD rear only) (2)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8721	Speed bit handle, medium (one piece)
8720	Speed bit handle, premium, large (rubber overmold)
8722	Speed bit handle, premium, medium (rubber overmold)

- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.00mm, 4.50mm, 5.00mm, 5.50mm, 7.00mm, 8.00mm),
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

Turnbuckles & Threaded Rods

- 3643X Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643G Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3643R Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (83mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644X Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644G Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 3644R Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (73mm) (2)/ rod ends, rear (4)/ rod ends, front (4)/ aluminum wrench (1)
- 5525 Rod ends (12)/ hollow balls (12)
- 3644 Turnbuckles, camber link, 39mm (69mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right) (fits front & rear on Slash)
- 3643 Turnbuckles, camber link, 49mm (82mm center to center) (assembled with rod ends and hollow balls) (1 left, 1 right)
- 5539 Turnbuckles, camber links, 58mm (assembled with rod ends and hollow balls) (2)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM