

1/16 E-Revo® (Model 71054-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

	Doorings o Buobings		Drivolina Componente
5424	Bearings & Bushings	7024	Driveline Components
5124 7019	Ball bearings, blue rubber sealed (4x7x2.5mm) (2) Ball bearings, blue rubber sealed (4x8x3mm) (2)	7034 7052	Axle carriers, left & right (2 each) Drive cups, inner (2) 1/16 E-Revo/Slash (steel constant-velocity
7019	Ball bearings, blue rubber sealed (4xxx3.5mm) (2)	1002	drive cups, inner (2) 1/16 E-Revo/Slash (steel constant-velocity driveshafts)
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	7151	Driveshaft assembly (1) left or right (fully assembled, ready to install)/
	Body & Accessories	74 E 4 V	3x10mm screw pin (1)
1926	Antenna caps, vinyl (2)/ antenna spool	7151X 7153	Driveshaft, 1/16 E-Revo (steel constant-velocity) (assembled) (4) Driveshaft, steel constant-velocity, 1/16 E-Revo (shaft only,
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)		68mm)/ drive cup pin (1)
1834	Body Clips (12) (standard size)	7250R	Driveshafts, center (steel constant-velocity) front (1), rear (1)
7015 4915	Body mounts, front & rear/ body mount posts, front & rear Body washers, foam adhesive (10)	7056	(fully assembled) Half shafts, center front (1), center rear (1) (internal splined half shafts
6716	Body Washers, Foam, 2mm/3mm/4mm	7030	(2)/external splined half shaft) (2)/ metal u-joints (4)
7111	Body, 1/16 E-Revo (clear, requires painting)/ grille and lights decal sheet	7150	Half shafts, left or right (internal splined half shaft (2)/external splined half shaft) (2)/ metal u-joints (4)
7115-BLUE	Body, 1/16 E-Revo, blue (painted, decals applied)	7055	Rebuild kit (for 1/16 E-Revo/Slash steel constant-velocity
7115X	Body, 1/16 E-Revo, ProGraphix® (graphics are printed, requires paint & final color application)/ body mounts (front & rear)/ rear		driveshafts) (includes pins, o-rings, stub axles for driveshafts assemblies)
7115 DED	body support/ decal sheet	7054	Stub axle, steel (2)/ yokes (2) (assembled)
7115-RED 2514	Body, 1/16 E-Revo, red (painted, decals applied) Decal sheet, racing sponsors	7154 7154X	Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4) Wheel hubs, hex, aluminum (4) (blue-anodized)
7114	Decal sheets, 1/16 E-Revo	7057	Yokes, differential and transmission (2)/ 3x10mm screw pin (2)
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)		Front Suspension
7121	Wing mount/ hardware (1/16 E-Revo)	7033X	Aluminum caps, pivot ball (threaded aluminum, hard-anodized,
7122 7122G	Wing, 1/16 E-Revo (black)/ decal sheet Wing, 1/16 E-Revo (Exo-carbon finish)/ decal sheet		PTFE-coated (8)/ hex wrench, 5mm
71223	Wing, 1/16 E-Revo (white)/ decal sheet	7034	Axle carriers, left & right (2 each)
	Bumpers & Skidplates	7023	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS (1)
7135	Bumpers, front (1)/ rear (1)	7030X	Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS
7037	Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards,		(1)
	steering servo (2) / cover plate, steering servo (1)	7028	Hollow balls (20)
	Chassis & Attachments	7028X 7033	Hollow balls, steel (machined) (22) Pivot balls (4)/ pivot ball caps (4)
7015	Body mounts, front & rear/ body mount posts, front & rear	7018	Push rod (molded composite) (4)/ hollow balls (8) (1/16 Slash)
7024X	Box, receiver (sealed)/ wire cover/ foam pads, upper & lower/ silicone	7118G	Push rod (molded composite) (green) (4)/ hollow balls (8)
7023	grease/ 2.5x8 CS (4)/ 3x4 GS (1) Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5x6 CS	7118	Push rod (molded composite) (red) (4)/ hollow balls (8)
. 020	(1)	7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
7030X	Bulkhead, front (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS	7155	Rocker arm post, steel (4)
7029X	(1) Bulkhead, rear (left & right halves)/ 3x10mm BCS (4)/ 2.5x23mm CS	7158	Rocker arm set, progressive-2/ 4x7x2.5mm PB (8)
10237	(1)	7043	Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/ servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts,
7022	Chassis		front & rear/ 2.5x18mm CS (4)
7026	Door, battery compartment (1)/ vents, battery compartment (1 pair) (fits right or left side)	7131	Suspension arm set, front (includes upper right & left and lower right & left arms)
7185A	LED light kit, 1/16 E-Revo® (includes power supply, front & rear	7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)
7186	bumpers, light harness (4 clear, 4 red), wire ties) LED lights, light harness (4 clear, 4 red)/ bumpers, front & rear/		Hardware
	wire ties (3) (requires power supply #7286)	5124	Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
7286A	LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap	7019	Ball bearings, blue rubber sealed (4x8x3mm) (2)
7025	connector (with cable)/ 2.6x8 BCS (2) Seal kit, receiver box (includes o-ring, seals, and silicone grease)	7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)
7037	Skidplate set, front (1)/ rear (1)/ transmission (1) (black)/ Guards,	5114 5123	Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bellcrank bushings (plastic) (4x7x2.5mm) (4)
	steering servo (2) / cover plate, steering servo (1)	1834	Body Clips (12) (standard size)
7043	Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/	2545	Bushings (plastic) (5x8x2.5mm) (4)
	servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts, front & rear/ 2.5x18mm CS (4)	5150 5477	E-clips, 1.5mm (24)
7184	Wheelie bar, assembled	5477 7028	Flat wrench, 5mm (blue anodized aluminum) Hollow balls (20)
7121	Wing mount/ hardware (1/16 E-Revo)	7028X	Hollow balls, steel (machined) (22)
	Differential Components	2745	Nuts, 3mm nylon locking (12)
7019	Ball bearings, blue rubber sealed (4x8x3mm) (2)	1747P	Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
7020	Ball bearings, blue rubber sealed (8x12x3.5mm) (2)	3647 1747R	Nuts, 4mm flanged nylon locking (steel, serrated) (8) Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
7080	Cover plates, differential (front or rear)/ gaskets (2)/ o-rings (2)/ 2x14mm BCS (3)	1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
7078	Differential assembly, complete	1747T	Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
7014	Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)	1747A	Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)	7155 7059	Rocker arm post, steel (4)
7082	Gear set, differential (output gears (2)/ spider gears (3))/ differential output shafts (2)/ 1.5x6mm pin (3)/ 1.5x8mm pin (2)	7059	Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)
5130 5135	Oil, differential (100K wt) (0.7 oz (20cc))	2523 3229	Screws, 2.5x10 countersunk machine (hex drive) (6) Screws, 2.5x10mm cap-head machine (hex drive) (6)
5135 5136	Oil, differential (10K wt) (1.7 oz (50cc)) Oil, differential (30K wt) (1.7 oz (50cc))	2526	Screws, 2.5x10 countersunk machine (hex drive) (6)
5137	Oil, differential (50K wt) (1.7 oz (50cc))	3236	Screws, 2.5x12mm cap-head machine (6)
7014X	Rebuild kit, center differential (1/16 E-Revo/Slash) (includes o-	3215	Screws, 2.5x6mm cap-head machine (hex drive) (6)
7070	rings and diff gear covers)	3965 2577	Screws, 2.5x8mm cap-head machine (6)
7079	Ring gear, differential/ pinion gear, differential	2011	Screws, 3x10mm button-head machine (hex drive) (6)

278 Screws, 3x12mm button-head machine (hex drive) (8) 20514 2		71054-8) Parts List	r (Model	1/16 E-Revo®: TQ™ 2.4GHz radio, Titan® 550 moto	Page 2
	GS (1)	Sensor, RPM (short)/ 3x4mm BCS (1)/ 3x4 GS (1) Sensor, temperature and voltage (short)			3159
275 Screws, 3x8mm button-head machine (hex drive) (6) 2868 Screws, 3x8mm button-head machine (hex drive) (7) 2869X Screws, 3x8mm button-head machine (hex drive) (7) 2874 284 (but be zerows, 3x8mm button-head machine (hex drive) (7) 2874 284 (but be zerows, 3x8mm button-head machine (hex drive) (7) 2874 288 (but be zerows, 3x8mm button-head machine (hex drive) (8) 288 (but be zerows, 3x8mm button-head machine (hex drive) (8) 288 (but be zerows, 3x8mm button-head machine (hex drive) (8) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 3x8mm button-head machine (hex drive) (1) 288 (but be zerows, 1) 288 (but be	proof servo)	Servo case/ gaskets (for 2080A micro waterproof servo)		Screws, 3x12mm button-head machine (hex drive) (6)	2578
Serves, 3-8/mm bulton-head machine (hox drive) (6) 2880X 2343 2840 became, and machined (12) 2880X	r, micro, waterproof	·			
### Set (pub) servows, 3mm hardemed (12) ### LED LIGHTS ### LED LIGHTS ### Connector, power tap (with voltage sensor plug) wire tie! 2.6x8 ### Sc 20 ### Sc 20 ### Set (pub) servows (Lear A red) bumpers, front & rear bumpers, light harness (4 clear, 4 red) bumpers, light harness (4 clear, 4		· · · · · · · · · · · · · · · · · · ·		, , , ,	
February trigger magnet, Sizzmm (1) 154-154 154-15		· · · · · · · · · · · · · · · · · · ·			
589 Connector, power tap (with voltage sensor plug)/ wire tie/ 2.6x8 BS Connector, power supply (includes power supply, front & rear bumpres, light harness (& clear, 4 red) bumpers, front & rear wire ties (3) (requires power supply 28x9 BS CS) (and 12x9 bumpers, front & rear wire ties (3) (requires power supply 28x9 BS CS) (and 12x9 bumpers, front & rear wire ties (3) (requires power supply 28x9 BS CS) (and 12x9 bumpers, front & rear wire ties (3) (requires power supply (regulated, 3V, 0.5-smpl) power tap connector (with cable) 2.6x9 BS CS) (and 12x9 BS CS) (an		the state of the s			2143
Connector, power tap (with voltage sensor plug) whre the 2-8x8 Connector, power tapport, from the care bumpers, light harness (4 clear, 4 red), whre ties (3) (requires power supply #7286) Connector (with cable) 2-8x8 BCS (2) Connector (with cab	channel, Traxxas® Link	TQi 2.4 GHz High Output radio system, 2-channel, Traxxa		<u> </u>	
bumpers, light harmess (a clear, 4 red), wire ties) 1788 LED lights, light harmess (a clear, 4 red) bumpers, front & reard wire ties (3) (requires power supply #7286) 1788 LED lights, power supply #7286) 1788 LED lights, power supply fregulated, 3V, 0.5-amply power tap connector (with cable) 2 & 80 BSC (2) 1789 LED lights, power supply #7286) 1780 LED lights, power supply #7286) 1780 LED lights, power supply #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supply #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supply #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supply #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supply #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supply #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supply #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supply #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supply #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights, power supple #7286) 1780 LED lights, power supple #7286 (1980 Lights) (1980 Lights) (1980 Lights) (1980 Lights) (198	cro receiver)	enabled, TSM® (2-ch transmitter, 5-ch micro receiver) TQi 2.4 GHz High Output radio system, 4-channel with Tr		BCS (2)	
wire ties (3) (requires power supply #7286) In the property of the property o		•		bumpers, light harness (4 clear, 4 red), wire ties)	
LED lights, power supply (regulated, 3V, 0.5-ampl) power tap connector (with cable) 2 sed BCS (20 sed control) and appear connector (with cable) 2 sed BCS (20 sed sed (for 2008 Austrapord micro servo) (20 ser sed, metal (for 2008 waterproof micro servo) (20 ser sed, metal (for 2008 waterproof micro servo) (20 sed sed, metal (for 2008 waterproof micro servo) (20 sed sed, metal (for 2008 waterproof micro servo) (20 sed sed, metal (for 2008 waterproof micro servo) (20 sed waterproof	• /	•			1100
Channel (transmitter only) Gear set (for 2008 Avaterproof micro servo) Gear set, metal (for 2880 Waterproof micro servo) Heat sink, Velineon® 380 brushless motor, aluminum (blue- anodized) Motor mount, finned aluminum (for 550 motors) Motor, Tlan® 12T (12-Tum, 550 size) Motor, Velineon® 380 brushless (assembled with 15-gauge wire and gold-plated connectors) Motor, Velineon® 11T (12-Tum, 550 size) Motor, Velineon® Win Maxx8 380, brushless (assembled with 15-gauge wire and gold-plated connectors) Servo casel gaskets (for 2808X metal gear, micro, waterproof Servo casel gaskets (for 2808X metal gear, micro, waterproof (includes waterproof VLX.∃m ES cand Velineon® 380 motor) VXI.∃m Electronic Speed Control, waterproof (brushless) VXI.∃m Electronic Speed Control, waterproof (brushless) VXI.∃m Electronic Speed Control, waterproof (brushless) VXI.∃m Electronic Speed Control, waterproof (includes waterproof VXI.∃m ES cand waterproof (brushless) VXI.∃m Electronic Speed Control, waterpro	•	channel (transmitter only)		LED lights, power supply (regulated, 3V, 0.5-amp)/ power tap	7286A
2822K Gear set, metal (for 280R waterproof micro servo) 2823K Gear set, metal (for 280R waterproof micro servo) 2823K Gear set, metal (for 280R waterproof micro servo) 2823K Gear set, metal (for 280R waterproof micro servo) 2823K Gear set, metal (for 280R waterproof micro servo) 2823K Gear set, metal (for 280R waterproof micro servo) 2823K Gear set, metal (for 280R waterproof micro servo) 2823K Gear set, metal (for 280R waterproof micro servo) 3064K Gear Set, metal (for 280R waterproof servo) 3078 Motor, Velineon® Mini Maxw\$ 380, brushless (assembled with 16-gauge wire and gold-plated connectors) 4080K 5080K	2.4GHZ mgn output, 3-		0323	Motors & Electronics	
2082X Gear set, metal (for 2080x waterproof micro servo) 2082X Gear set, metal (for 2080x waterproof micro servo) 2082X Gear set, metal (for 2080x waterproof micro servo) 208374 Heat sink, Velineon® 380 brushless motor, aluminum (blue- anodized) 20800 Motor mount, finned aluminum (for 550 motors) 2081A Gero case/ gaskets (for 2080x metro) 2081A Gero case/ gaskets (for 2080x metro) 2081A Servo case/ gaskets (for 2080x metro) 2080X Servo, micro, waterproof, metal gear 2080X Servo, micro, waterproof, waterproof (includes waterproof VXL-3m Electronic Speed Control, waterproof with Low Voltage 2080X Servo, micro, waterproof vXL-3m Electronic Speed Control, waterproof vXL-	2.4GHz high output, 4-	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high ou	6530		20824
2982X 2200mah 7.4 v 2-Cell LIPO Battery 2982X 2200mah 7.4 v 2-Cell LIPO Battery 2983	•	channel (transmitter only)		,	
Heat sink, Velineon® 380 brushless motor, aluminum (blue- anodized) Motor mount, finned aluminum (for 550 motors)				·	
anodized) Motor mount, finned aluminum Motor mount, finned aluminum (for 550 motors) Motor, filam® 12f (12-furn, 550 size)	,	VXL-3m Electronic Speed Control, waterproof (brushless			3374
Detection Dete	only)	Wire harness, parallel battery connection (compatible wi Traxxas® High Current Connector, NiMH only)		anodized)	7060
3777 Motor, Vallenome Mini Maxxes 380, brushless (assembled with 16-gauge wire and gold-plated connectors) and mini Maxxes 380, brushless (assembled with 16-gauge wire and gold-plated connectors) and mini Maxxes 380, brushless (assembled with 16-gauge wire and gold-plated connectors) and mini Maxxes 380, brushless (assembled with 16-gauge wire and gold-plated connectors) are one case gaskets (for 2000 Amicro waterproof servo) servo case gaskets (for 2000 Amicro waterproof servo) servo, micro, waterproof, metal gear servo, micro, waterproof, metal gear servo, micro, waterproof, metal gear servo, micro, waterproof (Includes waterproof VXL.3m ESctonic Speed Control, waterproof (brushless) and value carriers, left & right (2 each) subthead the bars, front & rear (blue-anodized alud (1 lullow absorber of (Includes waterproof VXL.3m ESctonic Speed Control, waterproof (brushless) and value carriers, left & right (2 each) subthead the bars, front & rear (blue-anodized alud (1 lullow absorber of (Includes waterproof VXL.3m ESctonic Speed Control, waterproof (brushless) and value	vvith Low Voltage	XL 2.5 Electronic Speed Control, waterproof With Low Voltage	3024R		
16-gauge wire and gold-plated connectors 2081A Servo case/ gaskets (for 2080 A micro waterproof servo)					
2081X Servo case/ gaskets (for 2080X metal gear, micro, waterproof servo) 2080A Servo, micro, waterproof, metal gear 2080B Servo, micro, waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro speed Control, waterproof (includes waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro speed Control, waterproof (fundleds waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro, waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro, waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro, waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro, waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro, waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro, waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro, waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Servo, micro, waterproof VXL-3m ESC and Velineon® 380 motor) 2080B Sulkhead tie bars, front & rear (blue-anodized aluf, (1) 2080B Sulkhead tie bars, front & rear (blue-anodized aluf, (1) 2080B Sulkhead tie bars, front & rear (blue-anodized aluf, (1) 2080B Sulkhead tie bars, front & rear (blue-anodized aluf, (1) 2080B Sulkhead tie bars, front & rear (blue-anodized aluf, (1) 2080B Sulkhead tie bars, front & rear (blue-anodized aluf, (1) 2080B Sulkhead tie bars, front & rear (blue-anodized aluf, (1) 2080B Sulkhead tie bars, front & rear (blue-anodized aluf, (1) 2080B Sulkhead tie bars, front & rear (blue-anodized aluf, (1) 2080B Sulkhead tie bars, front & rear (blue-anodized) (4) 2080B Sulkhead tie bars, front & rear (blue-anodized) (4) 2080B Sulkhead tie bars, front & rear (blue-anodized) (4) 2080B Sulkhead tie bars, front & rear (blue-anodized) (4) 2080B Sulkhead tie bars, front & rear (blue-anodized) (4) 2080B Sulkhead tie bars, front & rear (blue-anodiz					3371
Servo Servo Servo micro waterproof	Γruck with TQ™ 2.4GHz		71054-8	Servo case/ gaskets (for 2080A micro waterproof servo)	
2080X Servo, micro, waterproof, metal gear 2080R Servo, micro, waterproof Wichself Sec and Velineon® 380 motor) 2082R Zebed Control, waterproof Wich Low Voltage 2082R Selection Speed Control, waterproof Wich Selection Speed Control, waterproof Wichself Selection Speed Control, waterproof Wich Low Voltage 2082R Selection Speed Control, waterproof Wich Selection Speed Control, waterproof Wichael Selection Speed Control, waterproof W		Rear Suspension			2081X
2080R Servo, micro, waterproof, metal gear 7034 Atle carriers, left 8 right (2 each) Atle carriers, left 8 right (2 each) Servo, micro, waterproof, metal gear 7034 Atle carriers, left 8 right (2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Sulkhead tie bars, front & rear (blue-anodized alud (1) Fig. 2 each) Fig. 2 each (1) Fig. 2 each (1) Fig. 2 each) Fig. 2	inum, hard-anodized,	Aluminum caps, pivot ball (threaded aluminum, hard-and	7033X	·	2080A
2080R Servo, micro, waterproof, metal gear 7034 Axle carriers, left k right (2 each) 7037 7028 8 8 7029 7028 7029 7028 7029 7028 7029 7028 7029 7028 7028 7029 7028 7029 7028 7029 7028 7029 7028 7028 7029 7028 7028 7029 7029	,			· · · · · · · · · · · · · · · · · · ·	
1		Axle carriers, left & right (2 each)		the state of the s	
WXL_3m Electronic Speed Control, waterproof (brushless) XL_2.5 Electronic Speed Control, waterproof (brushless) XL_2.5 Electronic Speed Control, waterproof With Low Voltage Detection Tope Detection To	d aluminum)/ 2.5x6 CS	Bulkhead tie bars, front & rear (blue-anodized aluminum)/ 2.5	7023	· · · · · · · · · · · · · · · · · · ·	3370
Table Tabl	DCC (4)/ 2 Ev/22mm CC	* /	7020V	•	
### Pail O System Batter (52 & Clarger Section Battery) 2820X 2820X 2820Mah 7.4v 2-Cell 25C LIPo Battery 28276 Ad to DC adapter 28278 Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) 28283 Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) 28284 2843 2846648 Battery charger indicators, green (4), grey (4), blue (4) 2845 Battery charger indicators, green (4), grey (4), blue (4) 2846648 Battery, Power Cell AA Alkaline (4) 28250X 2885-25 Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) 2885-25 Battery (Arger completer pack (includes #2985 USB-C NIMH/LIPo iDIA® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iDIA® Battery ldentification Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, LSB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2885 Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2886 Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2886 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2887 Gear set (for 2080A waterproof micro servo) 2888 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2888 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2888 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2882 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2882 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2883 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2884 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2885 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2886 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2887 Gear set, metal (for 2080X waterproof micro	BCS (4)/ 2.5x2311111 CS	(1)		XL 2.5 Electronic Speed Control, waterproof With Low Voltage	
2200mah 7.4v 2-Cell 25C LIPo Battery 2976 AC to DC adapter 29838X Adapter, Traxsas® ID® LiPo battery (adapts Traxxas® ID® batteries to separate balance ports) 2943 Battery charge indicators, green (4), grey (4), blue (4) 2945 Battery charge indicators, green (4), grey (4), blue (4) 2955 Battery charge indicators, green (4), grey (4), blue (4) 2955 Battery charge indicators, green (4), grey (4), blue (4) 2955 Battery charge indicators, green (4), grey (4), blue (4) 2955 Battery charge indicators, green (4), grey (4), blue (4) 2955 Battery charge rompleter pack (includes #2985 USB-C LIPo IDA® Ba 2974 Charger, EZ-Peak Plus (4), grey (4), blue (5) 2975 Charger, EZ-Peak Plus (4), grey (5), grey balls (6) 2976 Charger, EZ-Peak Plus (4), grey (5), grey balls (6) 2977 Charger, EZ-Peak Plus (4), grey (5), grey balls (6) 2978 Charger, EZ-Peak Plus (4), grey (6), grey (7), grey balls (7), grey balls (8) 2981 Charger, EZ-Peak Plus (4), grey (6), grey (7), grey balls (8) 2982 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, dow (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2984 Clip cell college checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2986 LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2986 LiPo cell voltage checker/bala		• ,			
2820X 2200mah 7.4v 2-Cell ZEC LiPo Battery 7118G Push rod (molded composite) (rge) (4) hollow battery 3000mah 7.4v 2-Cell LiPo Battery 7118 Push rod (molded composite) (red) (4) hollow battery 3000mah 7.4v 2-Cell LiPo Battery 7118 Push rod (molded composite) (red) (4) hollow batteries to separate balance ports) 7118X Push rod (molded composite) (red) (4) hollow batteries to separate balance ports) 7118X Rocker arm post, slew individual 9 Push rods, aluminum (red-anodized) (4) (asse ends) 8 Push rods, alu		, , ,		Radio System, Batteries & Chargers	
AC to DC adapter Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery charge indicators, green (4), grey (4), blue (4) 52943 Battery charge indicators, green (4), grey (4), blue (4) 52944 Battery charge indicators, green (4), grey (4), blue (4) 52925 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 52925 Battery, Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) 52925 Battery, Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) 52925 Battery/charger completer pack (includes #2985 USB-C 5293 LiPo iDÅ® charger (1), #2827X 3000mAh 7.4V 2-cell 20C 5294 Charger, DC, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH) 52972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto 52973 Battery Identification 52970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto 52981 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto 52981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD Auto 52982 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 52982 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 52983 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 52984 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 52985 Charger, EZ-Peak® USB-C, 40W, NiMH/LiPo with iD Auto 52986 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 52986 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 52987 Gear set (for 2080A waterproof micro servo) 52988 Gear set, metal (for 2080R waterproof micro servo) 52988 LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 52988 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)	hollow balls (8)	Push rod (molded composite) (green) (4)/ hollow balls (8)	7118G	2200mah 7.4v 2-Cell 25C LiPo Battery	
Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell AA Alkaline (4) Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) Battery (Arrayer completer pack (includes #2985 USB-C NiMH/LiPo iDÅ® Charger (1), #282TX 3000mAh 7.4V 2-cell 20C LiPo iDÅ® Ba Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 samp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 samp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 samp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Ober Datteries Plus Plus Plus Plus Plus Plus Plus Plu	w balls (8)	Push rod (molded composite) (red) (4)/ hollow balls (8)	7118		
batteries to separate balance ports 7155 Rocker arm post, steel (4)	assembled with rod	Push rods, aluminum (red-anodized) (4) (assembled with	7118X	•	
Battery charge indicators, green (4), grey (4), blue (4) Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell AA Alkaline (4) Battery, Power Cell AA Alkaline (4) Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) Battery/charger completer pack (includes #2985 USB-C NIMH/LiPo iDiA® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iDiA® Battery/charger completer pack (includes #2985 USB-C NiMH/LiPo iDiA® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iDiA® Ba Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH) 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification 2981 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification 2985 Charger, EZ-Peak Plus 4s, 8 amp, NiMH/LiPo with iD Auto Battery Identification 2986 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2983 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2984 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2985 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2986 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2986 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2986 Cear set (for 2080A waterproof micro servo) 2982 Gear set, metal (for 2080R waterproof micro servo) 2983 Cear set, metal (for 2080R waterproof micro servo) 2984 CliPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® ID® batteries) 2986 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries) 2986 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® ID® batteries)			7155		2930A
Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) Battery, Power Cell AA Alkaline (4) 2925X Battery, Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) 2985-28 Battery/charger completer pack (includes #2985 USB-C NiMH/LiPo iD&® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD&® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD&® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD&® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD&® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD&® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD&® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD&® charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification 2981 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification 2985 Charger, EZ-Peak Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2986 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2984 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® (volt) 2985 Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2986 Charg	PR (8)			• • • • • • • • • • • • • • • • • • • •	2943
transmitter) Battery, Power Cell AA Alkaline (4) 2925X Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) 2985-2S Battery/charger completer pack (includes #2985 USB-C NiMH/LiPo iD® Ba 2974 Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH) 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification 2973 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2985 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2949 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2983 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2984 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2985 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2986 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2987 Charger, USB-C, 20W (5 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2988 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2989 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2980 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2981 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2983 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2984 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2985 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2986 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2986 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2988 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2989 Charger, USB-C, 20W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2989 Charger, USB-C, 20W (6 - 7 cell, 7.2 - 8.4	` '	71 9			
2914 Battery, Power Cell AA Alkaline (4) 2925X Battery, Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) 2985-28 Battery (Series 1 Power Cell, 1200mAh (NiMH, 6-C flat, 7.2V, 2/3A) 2985-28 Battery/charger completer pack (includes #2985 USB-C NIMH/LiPo iD® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Ba 2974 Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH) 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification 2981 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD® Auto Battery Identification 2985 Charger, EZ-Peak © JUSB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD® Auto Battery Identification 2986 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2983 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) 2082A Gear set, metal (for 2080A waterproof micro servo) 2082R Gear set, metal (for 2080X waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2986 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2987 Spinning carousel rack 2988 Spinning carousel rack 2989 Spinning carousel rack 2980 Spinning carousel rack 2980 Spinning carousel rack	, , ,	Steering arm (upper & lower)/ steering link/ servo horn/ servo		transmitter)	
Battery/charger completer pack (includes #2985 USB-C NIMH/LiPo iD® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Ba 2974 Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH) 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2985 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2986 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2978 Fuse, D/C charger, JSB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 20W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2983 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) 2082A Gear set (for 2080A waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2082 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2083 Sinch coil bottle (60cc) (for mixing shock oil bottle (for 2080X with premium shock oils with spinning carousel rack		servo saver spring/ servo horn mount/ ball stud (2)/ shock mo		• • • • • • • • • • • • • • • • • • • •	
NiMH/LiPo iD® charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Ba 2974 Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH) 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification 2980 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2985 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2986 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2987 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2988 Gear set (for 2080A waterproof micro servo) 2989 Gear set, metal (for 2080X waterproof micro servo) 2980 Charger, EZ-Peak® metal (for 2080X waterproof micro servo) 2980 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2980 Traxxas® iD® batteries) 2980 Traxxas® iD® batteries) 2980 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2980 Suspension arm set, rear, extended wheelbas wheelbase 10mm) (includes upper right & left arms) 2980 Suspension arm set, rear, extended wheelbas wheelbase 10mm) (includes upper right & left arms) 2981 Suspension arm set, rear, extended wheelbas wheelbase 10mm) (includes upper right & left arms) 2982 Suspension arm set, rear (molded composite) (gre balls (8) 2983 Toe link, front & rear (molded composite) (gre balls (8) 2984 Toe link, front & rear (molded composite) (gre balls (8) 2985 Toe link, front & rear (molded composite) (gre balls (8) 2986 Sink, front & rear (molded composite) (gre balls (8) 2986 Sink, front & rear (molded composite) (gre balls (8) 2987 Toe link, front & rear (molded composite) (gre balls (8) 2988 Toe link, front & rear (molded composite) (gre balls (8) 2989 Toe link, front & rear (molded composite) (gre balls (8) 2980 Sink, foot & rear (molded composite) (gre balls (8) 298	ht & left and lower right	. ,	7132		
Charger, D/C, 2 amp (5 - 7 cell, 6.0 - 8.4 volt, NiMH) Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, EZ-Peak® Quis description of micro servo) Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Oil, shock (20 wt, 200 cSt, 60cc) (silicone) 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) 5033 Oil, shock (30 wt, 50 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) Oil, shock (60 wt, 700 cSt, 60cc) (silicone) 5036 Oil, shock (60 wt, 700 cSt, 60cc) (silicone) 5037 Oil	· ·	& left arms)		NiMH/LiPo iD® charger (1), #2827X 3000mAh 7.4V 2-cell 20C	
Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Charger, USB-C, 20W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) Coil, shock (20 wt			/132R		2974
Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2985 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2986 Charger, LSB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2987 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2988 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2989 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2980 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2980 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2980 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2981 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2983 Gear set (for 2080A waterproof micro servo) 2084 Gear set (for 2080A waterproof micro servo) 2085 Gear set, metal (for 2080R waterproof micro servo) 2086 LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2084 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2085 Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD & Toe link, front & rear (molded composite) (red) (4 7138 Toe link, front & rear (molded composite) (red) (4 7138X Toe link, front & rear (molded composite) (red) (4 7138X Toe link, front & rear (molded composite) (red) (4 7138X Toe link, front & rear (molded composite) (red) (4 7138X Toe link, front & rear (molded composite) (red) (4 7138X Toe link, front & rear (molded composite) (red) (4 7138X Toe link, front & rear (molded composite) (red) (4 7138X Toe link, front & rear (molded composite) (red) (4 7138X Toe link, foot & sell ink, saluminum (red-anodized) (4) (asser and threaded inserts) 7138X Toe link, foot & sell ink, saluminum (red-anodi	_	left arms)	7021	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery	
Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2985 Charger, EZ-Peak USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification 2986 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2987 Charger, USB-C, 20W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2988 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2989 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2980 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2981 Gear set (for 2080A waterproof micro servo) 2082 Gear set, metal (for 2080R waterproof micro servo) 2082 Gear set, metal (for 2080R waterproof micro servo) 2082 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2082 Gear set, metal (for 2080R waterproof micro servo) 2082 Gear set, metal (for 2080R waterproof micro servo) 2082 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2082 Gear set, metal (for 2080R waterproof micro servo) 2082 Gear set, metal (for 2080R waterproof micro servo) 2082 Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2082 Gear set, metal (for 2080R waterproof micro servo) 2082 Gear set, metal (for 2080R waterproof micro servo) 2082 Charger, USB-C, 40W (6 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2083 Oil, shock (40 wt, 500 cSt, 60cc) (silicone) 2084 Oil, shock (60 wt, 700 cSt, 60cc) (silicone) 2085 Oil, shock (70 wt, 900 cSt, 60cc) (silicone) 2086 LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2088 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2088 Spinning carousel rack		Toe link, front & rear (molded composite) (green) (4)/ hol		Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto	2973
2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification 2985 Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification 2949 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 2982 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2983 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2984 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) 2082A Gear set (for 2080A waterproof micro servo) 2082R Gear set, metal (for 2080R waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2082 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2083 Spinning carousel rack and threaded inserts) and threaded inserts) and threaded inserts) 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone) 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone) 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone) 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone) 5036 Oil, shock (60 wt, 700 cSt, 60cc) (silicone) 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) 5038 Shock oil bottle (60cc) (for mixing shock oil) 5038 Spinning carousel rack	, , ,	Toe link, front & rear (molded composite) (red) (4)/ hollow ba		Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery	2970
Charger, EZ-Peakâ®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification 5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone) 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone) 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone) 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone) 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone) 5034 Oil, shock (40 wt, 500 cSt, 60cc) (silicone) 5035 Oil, shock (50 wt, 600 cSt, 60cc) (silicone) 5035 Oil, shock (50 wt, 600 cSt, 60cc) (silicone) 5036 Oil, shock (60 wt, 700 cSt, 60cc) (silicone) 5038 Oil, shock (70 wt, 900 cSt, 60cc) (silicone) 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) 5038 Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 cSt, 60cc) 5038 Spinning carousel rack 5038 50	sembled with rod ends	,	7138X	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto	2981
2949 Charger, USB-C, 20W (5 - 7 cell, 6.0 - 8.4 volt, NiMH) (with iD®) 5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone) 2982 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone) 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) 5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone) 2082A Gear set (for 2080A waterproof micro servo) 5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone) 2082R Gear set, metal (for 2080R waterproof micro servo) 5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone) 2082X Gear set, metal (for 2080X waterproof micro servo) 5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 5038 Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 cs) 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 5038 Spinning carousel rack			5004	Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto	2985
2982 Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) 2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) 2082A Gear set (for 2080A waterproof micro servo) 2082R Gear set, metal (for 2080R waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2082 2083 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2084 Spinning carousel rack 2085 Spinning carousel rack 2086 Spinning carousel rack 2086 Spinning carousel rack 2087 Sould shock (40 wt, 500 cSt, 60cc) (silicone) 2087 Oil, shock (60 wt, 700 cSt, 60cc) (silicone) 2087 Oil, shock (60 wt, 700 cSt, 60cc) (silicone) 2088 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2089 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2080 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2080 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2080 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2081 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2081 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2081 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2082 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2083 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2084 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2085 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2085 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2086 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2086 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2085 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2086 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2087 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2087 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2088 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2088 Shock (80 wt, 1,0				•	2040
2978 Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) 2082A Gear set (for 2080A waterproof micro servo) 2082R Gear set, metal (for 2080R waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2082 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2083 Spinning carousel rack Oil, shock (50 wt, 600 cSt, 60cc) (silicone) Oil, shock (70 wt, 900 cSt, 60cc) (silicone) Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) Shock oil bottle (60cc) (for mixing shock oil) Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt) 80 wt premium shock oils with spinning carousel rack					
2082A Gear set (for 2080A waterproof micro servo) 2082R Gear set, metal (for 2080R waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2082 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2083 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2084 South Formula					
2082R Gear set, metal (for 2080R waterproof micro servo) 2082X Gear set, metal (for 2080X waterproof micro servo) 2082K LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2082 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2082 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2082 Shock (70 wt, 900 cSt, 60cc) (silicone) 2083 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2084 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2085 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2086 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2087 Shock (80 wt, 1,000 cSt, 60cc) (silicone) 2088 S					
2082X Gear set, metal (for 2080X waterproof micro servo) 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 2968 Spinning carousel rack 2011 Sold Wt, 1,000 cSt, 60cc) (silicone) 2029 Shock oil bottle (60cc) (for mixing shock oil) 2038 Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt) 2038 Spinning carousel rack			5036	· · · · · · · · · · · · · · · · · · ·	
Traxxas® iD® batteries) 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 80 wt premium shock oils with spinning carous Spinning carousel rack	•				
2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) 80 wt premium shock oils with spinning carous Spinning carousel rack	•	` ', ` - '		· · · · · · · · · · · · · · · · · · ·	2968X
		Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 7 80 wt premium shock oils with spinning carousel rack)		LiPo cell voltage checker/balancer (requires #2938X adapter for	2968
			5038	· · · · · · · · · · · · · · · · · · ·	6535
pad 7066 Rody, GTP shock (molded composite) (2)			7066	pad	
2912 Power adapter, AC, USB-C (45W) 7066 Body, GTR shock (molded composite) (2) Caps and spring retainers, GTR shock (upper cap	er can (2)/ hollow halls	Caps and spring retainers, GTR shock (upper cap (2)/ hollow		• • • •	
2916 Power cable, OSB-C, 100W (nigh output) (A) hottom can (2) upper retainer (2) lower retainer	1 \ /	(4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)	, 555		
6533 Receiver micro, TQ 2.4GHz with telemetry & TSM® (5-channel) 7028 Hollow balls (20)		Hollow balls (20)			
Piston, damper (2x0.5mm hole, red) (4)/ travel lim	el limiters (4)	Piston, damper (2x0.5mm hole, red) (4)/ travel limiters (4)	7067		3003

Page 3	1/16 E-Revo®: TQ™ 2.4GHz radio, Titan® 550 moto	r (Mode	el 71054-8) Parts List
7062	Rebuild kit, GTR composite shocks (x-rings, bladders, pistons, e- clips, shock rod ends, hollow balls) (renews 2 shocks)	7014X	Rebuild kit, center differential (1/16 E-Revo/Slash) (includes orings and diff gear covers)
7063	Shaft, GTR shock (2)	7152	Slipper clutch, complete (includes slipper clutch hub, clutch pad,
7063T 7061	Shaft, GTR shock (TiN-coated) (4) Shacks, GTR composite, 1/16 F. Roya/Slach (assembled, without	7095	spring, 3.0mm NL, 1.5x6mm pin) Transmission, complete (fits 1/16-scale brushed models)
7061	Shocks, GTR composite, 1/16 E-Revo/Slash (assembled, without springs) (2)	7095	Transmission, complete (its 1716-scale brushed models)
7061X	Shocks, GTR hard anodized, PTFE-coated bodies with TiN shafts	3433X	Body reamer (aluminum handle)
	(fully assembled, without springs) (4)	3433	Body reamer (plastic handle)
	Slipper Clutch Components	3436	Cap, body reamer
7152	Slipper clutch, complete (includes slipper clutch hub, clutch pad,	3432	Scissors, curved tip
	spring, 3.0mm NL, 1.5x6mm pin)	3431	Scissors, straight tip
	Springs	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight:
7145	Spring, shock (GTR) (1.76 rate, orange) (1 pair)		1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm,
7146	Spring, shock (GTR) (1.92 rate, green) (1 pair)		and 8.0mm), 1/4" drive
7147 7148	Spring, shock (GTR) (2.06 rate, tan) (1 pair) Spring, shock (GTR) (2.22 rate, black) (1 pair)	8720	Speed bit handle, large (overmolded)
7 140		8721	Speed bit handle, medium (one piece)
	Spur Gears & Pinion Gears	8722 8710	Speed bit handle, premium (rubber overmold) Speed Bit Master Set, hex and nut driver, 13-piece, includes
2416	Gear, 16-T pinion (48-pitch) / set screw Gear, 18-T pinion (48-pitch) / set screw	07.10	premium handle (medium), travel pouch, hex drivers (straight:
1918 2419	Gear, 19-T pinion (46-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw		1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm,
2423	Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw		3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm,
2426	Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw	8711	8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end,
4728	Gear, 28-T pinion (48-pitch) (fits 3mm shaft)/ set screw	0711	includes premium handle (medium), travel pouch, hex drivers
2431	Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw		(straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm,
4725 7045R	Gear, pinion (25-tooth) (48-pitch) / set screw		2.5mm, 3.0mm), 1/4" drive
7045R 7046R	Spur gear, 45-tooth Spur gear, 50-tooth	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm,
7047R	Spur gear, 55-tooth		5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
	Steering Components	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4"
5114	Ball bearings, blue rubber shield (5x8x2.5mm) (2)	8716X	drive Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm,
2545 7043	Bushings (plastic) (5x8x2.5mm) (4) Steering arm (upper & lower)/ steering link/ servo horn/ servo saver/	0745	3.0mm) 1/4" drive
7043	servo saver spring/ servo horn mount/ ball stud (2)/ shock mounts,	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
	front & rear/ 2.5x18mm CS (4)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm,
7138G	Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)	8714	2.5mm, 3.0mm), 1/4" drive Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1
7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)		Phillips, and #2 Phillips bits), 1/4" drive
7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
	Suspension Linkage	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm,
7028	Hollow balls (20)		3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut
7028X 7118G	Hollow balls, steel (machined) (22) Push rod (molded composite) (green) (4)/ hollow balls (8)		drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips,
7118	Push rod (molded composite) (red) (4)/ hollow balls (8)		#0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends)		Turnbuckles & Threaded Rods
7021	Suspension pin set (front or rear), 2x46mm (2), 2x14mm (4)	7028	Hollow balls (20)
7138G	Toe link, front & rear (molded composite) (green) (4)/ hollow	7028X	Hollow balls, steel (machined) (22)
7138	balls (8) Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)	7118G 7118	Push rod (molded composite) (green) (4)/ hollow balls (8) Push rod (molded composite) (red) (4)/ hollow balls (8)
7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)	7118X	Push rods, aluminum (red-anodized) (4) (assembled with rod ends)
	Tires & Wheels	7138G	Toe link, front & rear (molded composite) (green) (4)/ hollow balls (8)
7174A	Tires & wheels, assembled, glued (Gemini black chrome wheels,	7138	Toe link, front & rear (molded composite) (red) (4)/ hollow balls (8)
7175	Talon tires, foam inserts) (2) Tires & wheels, assembled, glued (white dished 2.2" wheels,	7138X	Toe links, aluminum (red-anodized) (4) (assembled with rod ends and threaded inserts)
7173	Response Pro 2.2" tires, foam inserts) (2) Tires, Response Pro 2.2" (soft-compound, narrow profile, short knobby design)/ foam inserts (2)		
7170	Tires, Talon / foam inserts (2)		
7154	Wheel hubs, hex (4)/ axle pins (1.5x8mm) (4)		
7154X	Wheel hubs, hex, aluminum (4) (blue-anodized)		If you have questions or need technical essistence and Transcrapt
7171 7170A	Wheels, dished 2.2" (white) (2)		If you have questions or need technical assistance, call Traxxas at:
7172A	Wheels, Gemini (black chrome) (2)		1-888-TRAXXAS
7077D	Transmission Components		(1-888-872-9927) (U.S. residents only)
7077R	Cover, gear/ motor mount hinge post/ 3x10mm CS with split and flat washers (1)/ 3x8mm BCS (1)		For orders, calls outside the U.S., and other information, call 972-549-3000,
7379R	Cover, gear/motor plate access cover/ motor mount hinge post / 3x10mm CS w/split and flat washers (1) / 2.5x4mm CS (2) / 3x8mm		or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com
7014	BCS (1) (for 550 motors) Differential kit, center (complete for 1/16 E-Revo, 1/16 Slash)		
7014	Gear set, transmission (includes 18T, 25T input gears, 13T idler gear		
	(steel), 35T output gear, M3x13.75 screw pin)		
7091	Gearbox halves, front & rear		
7092	Input shaft/ output shaft		

Input shaft/ output shaft Plate, motor Plate, motor (for 550 motor)