



TRX-4 Sport (Model 82024-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Axle Components

- 8241 Axle housing, front
- 8242 Axle housing, rear
- 8227 Axle mount set (complete) (front & rear) (for suspension links)
- 8228 Axle shaft, front (left)/ drive pin/ cross pin
- 8229 Axle shaft, front (right)/ drive pin/ cross pin
- 8230 Axle shaft, rear (left)
- 8231 Axle shaft, rear (right)
- 8233 Cross pin (2)/ drive pin (2) (to rebuild front axle shafts)
- 8256 Portal drive axle mount, rear (left & right)
- 8252 Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6)
- 8253 Portal drive housing, inner, rear (left or right) (2)
- 8251 Portal drive housing, outer (front or rear) (2)
- 8257 Portal drive input gear, front/ drive pin/ cross pin
- 8259 Portal drive input gear, rear
- 8258 Portal drive output gear, front or rear
- 8255 Stub axle (portal drive) (2)

Bearings & Bushings

- 5119A Ball bearings, black rubber sealed (10x15x4mm) (2)
- 5120A Ball bearings, black rubber sealed (12x18x4mm) (2)
- 5102A Ball bearings, black rubber sealed (15x21x4mm) (2)
- 5104A Ball bearings, black rubber sealed (4x10x4mm) (2)
- 5115A Ball bearings, black rubber sealed (5x10x4mm) (2)
- 5116A Ball bearings, black rubber sealed (5x11x4mm) (2)
- 5114A Ball bearings, black rubber sealed (5x8x2.5mm) (2)
- 5117A Ball bearings, black rubber sealed (6x12x4mm) (2)
- 5180A Ball bearings, black rubber sealed (6x13x5mm) (2)
- 5103A Ball bearings, black rubber sealed (7x14x5mm) (2)

Body & Accessories

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 1834 Body clips (12) (standard size)
- 1834A Body clips, black (12) (standard size)**
- 3934 Body clips, heavy duty (12)**
- 8215 Body mounts & posts, front & rear (complete set)**
- 8115 Body posts, front & rear
- 4915 Body washers, foam adhesive (10)
- 8010 Body, Ford Bronco (clear, requires painting)/ decals/ window masks/ tailgate panel insert/ adhesive foam tape (2)**
- 8010X Body, Ford Bronco, complete (black) (includes front and rear bumpers, push bar, rear body mount, grill, side mirrors, door handles, windshield wipers, spare tire mount, red and sunset decals) (requires #8072 inner fenders)**
- 8011 Body, Land Rover Defender (clear, trimmed, requires painting)/ window masks/ decal sheet**
- 8011A Body, Land Rover Defender, adventure orange (complete with ExoCage, inner fenders, fuel canisters, and jack)**
- 8011X Body, Land Rover Defender, graphite silver (painted)/ decals**
- 8011R Body, Land Rover Defender, red (painted)/ decals**
- 8211 Body, Tactical Unit (clear, requires painting)/ decals**
- 8211X Body, Tactical Unit, night camo (painted)/ decals**
- 8111 Body, TRX-4 Sport (clear, trimmed, requires painting)/ window masks/ decal sheet**
- 2514 Decal sheet, racing sponsors
- 8113 Decal Sheet, TRX-4 Sport
- 8012 Decals, Land Rover Defender
- 8016 ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body)**
- 8019 Fender brace, inner, front & rear
- 8017 Fender flares, front & rear (2 each)
- 8080 Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)
- 8018 Fenders, inner, front & rear (2 each)/ rock light covers (8)
- 8072 Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flathead screws (4)**
- 8013 Grill, Land Rover Defender/ grill mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
- 8015 Roof basket (requires #8016 ExoCage) (fits #8011 body)**

Bumpers & Skidplates

- 8234 Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4)**
- 8234R Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)
- 8067X Bumper mounts, front & rear/ bumper mount, rear (offset)
- 8237 Bumper mounts, front & rear/ screw pins (4)**

- 8124 Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)
- 8235 Bumper, front/ winch**
- 8236 Bumper, rear**
- 8125 Bumper, rear (176mm wide)
- 8238 Skidplate/ lower gear cover

Chassis & Attachments

- 8215 Body mounts & posts, front & rear (complete set)**
- 8224 Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2)
- 8058 Chassis conversion kit, TRX-4 (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))**
- 8057 Chassis conversion kit, TRX-4 (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)**
- 8220 Chassis rails, 448mm (steel) (left & right)
- 8218 Floor pans, left & right
- 8219 Rock sliders, left & right
- 8225 Seal kit, receiver box (includes o-ring, seals, and silicone grease)**
- 8240 Servo mount, 2-speed/ servo mount, T-Lock/ wire clips
- 8239 Servo mount, steering/ chassis crossmember
- 8216 Shock towers, front & rear (left & right)
- 8226 Tray, battery

Differential Components

- 8281 Carrier, differential/ differential slider/ T-Lock fork**
- 8280X Differential cover, front or rear (chrome-plated)**
- 8280 Differential cover, front or rear (grey)**
- 8280R Differential cover, front or rear (red)
- 8195 Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)**
- 8282 Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))**
- 8295 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
- 8279 Ring gear, differential/ pinion gear, differential
- 8279R Ring gear, differential/ pinion gear, differential (machined)**
- 8287 Ring gear, differential/ pinion gear, differential (overdrive, machined)**
- 8288 Ring gear, differential/ pinion gear, differential (underdrive, machined)**
- 8297 Spool/ differential housing plug/ e-clip

Driveline Components

- 8250 Half shafts, center (internal splined, front (2) & internal splined, rear (2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
- 8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4)

Hardware

- 1552 Backplate screws (3x8mm cap-head machine) (6)/washers (6)/ wrench
- 1834 Body clips (12) (standard size)**
- 1834A Body clips, black (12) (standard size)
- 3934 Body clips, heavy duty (12)**
- 8298 Hardware kit, stainless steel, TRX-4 (contains all stainless steel hardware used on TRX-4)**
- 5476X Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball**
- 3647 Nuts, 4mm flanged nylon locking (steel, serrated) (8)**
- 8347 Nuts, 4mm flanged nylon locking, serrated (black) (10)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)**
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)**
- 1747P Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)**
- 1985 PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
- 3229 Screws, 2.5x10mm cap-head machine (hex drive) (6)
- 2523 Screws, 2.5x10mm countersunk machine (hex drive) (6)
- 3236 Screws, 2.5x12mm cap-head machine (6)
- 2618 Screws, 2.5x16mm cap-head machine (6)
- 3215 Screws, 2.5x6mm cap-head machine (hex drive) (6)
- 2617 Screws, 2.5x8mm button-head machine (hex drive) (6)
- 3965 Screws, 2.5x8mm cap-head machine (6)
- 2524 Screws, 2.5x8mm countersunk machine (hex drive) (6)
- 2564 Screws, 2x8mm cap-head machine (hex drive) (6)
- 2577 Screws, 3x10mm button-head machine (hex drive) (6)
- 4859 Screws, 3x10mm flat-head machine (hex drive) (4)
- 2578 Screws, 3x12mm button-head machine (hex drive) (6)

- 2579 Screws, 3x15mm button-head machine (hex drive) (6)
- 2591 Screws, 3x23mm button-head machine (hex drive) (6)
- 2581 Screws, 3x25mm button-head machine (hex drive) (6)
- 2616 Screws, 3x27mm button-head machine (hex drive) (6)
- 2582 Screws, 3x30mm button-head machine (hex drive) (6)
- 2575 Screws, 3x6mm button-head machine (hex drive) (6)
- 3932 Screws, 3x6mm flat-head machine (hex drive) (6)
- 2576 Screws, 3x8mm button-head machine (hex drive) (6)
- 3931 Screws, 3x8mm flat-head machine (hex drive) (6)
- 3933 Screws, 4x16mm button-head machine (hex drive) (6)

- 8143R Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4 Long Arm Lift Kit)
- 8145 Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4 Long Arm Lift Kit)
- 8145X Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit)
- 8145R Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4 Long Arm Lift Kit)
- 8142 Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4 Long Arm Lift Kit)
- 8142X Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit)
- 8142R Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4 Long Arm Lift Kit)
- 8172 Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right)
- 8170 Tires, Canyon Trail 2.2/ foam inserts (2)
- 8171 Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately)
- 8171A Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately)

LED Lights

- 8031 3-in-1 wire harness, LED light kit, TRX-4
- 8027 LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)
- 8036 LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 body, requires #8028 power supply)
- 8030 LED light set, complete (contains rock light kit, LED lightbar (Rigid®), LED headlight/tail light kit, power supply, and 3-in-1 wire harness) (fits #8011 body)
- 8035 LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power supply) (fits #8010 body)
- 8025 LED lightbar (Rigid®), TRX-4 (requires #8028 power supply)
- 8029 LED lightbar kit (Rigid®)/power supply, TRX-4
- 8028 LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4/ 3-in-1 wire harness
- 8026 LED rock light kit, TRX-4 (requires #8028 power supply)

Long Arm Lift Kit

- 8162X Body, GTS shock, long (aluminum, blue-anodized) (1) (for use #8140X TRX-4 Long Arm Lift Kit)
- 8162R Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4 Long Arm Lift Kit)
- 8162 Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4 Long Arm Lift Kit)
- 8148 Cable, T-lock (extra long) (for use with TRX-4 Long Arm Lift Kit)
- 8147 Cable, T-lock (medium) (for use with TRX-4 Long Arm Lift Kit)
- 8150 Driveshaft extension kit, center (includes internal splined, long (2) and internal splined, medium (2)) (for use with TRX-4 Long Arm Lift Kit)
- 8140 Long Arm Lift Kit, TRX-4, complete
- 8140X Long Arm Lift Kit, TRX-4, complete (includes blue powder coated links, blue-anodized shocks)
- 8140R Long Arm Lift Kit, TRX-4, complete (includes red powder coated links, red-anodized shocks)
- 8149 Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4 Long Arm Lift Kit)
- 8141 Servo mount, steering (for use with TRX-4 Long Arm Lift Kit)
- 8161 Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4 Long Arm Lift Kit)
- 8160X Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4 Long Arm Lift Kit)
- 8160R Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4 Long Arm Lift Kit)
- 8160 Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4 Long Arm Lift Kit)
- 8155 Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with TRX-4 Long Arm Lift Kit)
- 8156 Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4 Long Arm Lift Kit)
- 8157 Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4 Long Arm Lift Kit)
- 8146X Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit)
- 8146R Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4 Long Arm Lift Kit)
- 8144X Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit)
- 8144R Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4 Long Arm Lift Kit)
- 8144 Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4 Long Arm Lift Kit)
- 8143 Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4 Long Arm Lift Kit)
- 8143X Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4 Long Arm Lift Kit)

Motors & Electronics

- 1926 Antenna caps, vinyl (2)/ antenna spool
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 3975R Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1)
- 8290 Plate, motor/ upper spur gear cover
- 5669 Servo horn (with built-in spring and hardware) (for Summit locking differential)
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2065 Servo, sub-micro, waterproof
- 3025 XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake)

Radio System, Batteries & Chargers

- 2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery
- 2872X 5000mAh 11.1v 3-Cell 25C LiPo Battery
- 2842X 5000mAh 7.4v 2-Cell 25C LiPo Battery
- 2843X 5800mAh 7.4v 2-Cell 25C LiPo Battery
- 2869X 7600mAh 7.4v 2-Cell 25C LiPo Battery
- 2976 AC to DC converter, 40W
- 2938X Adapter, Traxxas iD LiPo battery (adapts Traxxas iD batteries to separate balance ports)
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2943 Battery charge indicators (green (4), blue (4), grey (4))
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitters)
- 8222 Battery strap, TRX-4 (for 2200 2-cell and 1400 3-cell LiPo batteries)
- 2914 Battery, Power Cell AA Alkaline (4)
- 2923X Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)
- 2940X Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)
- 2950X Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)
- 2960X Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)
- 2983 Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH battery (1))
- 2992 Battery/charger completer pack (includes #2970 iD charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))
- 2991 Battery/charger completer pack (includes #2972 Dual iD charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))
- 2975 Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak Live, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6512 Cover plate, Traxxas Link Wireless Module
- 2978 Fuse, charger, 5A (2) (for #2974, 2975, 2977)
- 2072X Gear set, metal (for 2070, 2075 servos)
- 6561 Mount, telemetry expander (fits TRX-4)
- 6535 Mount, temperature sensor (electric motors)/ wire tie/ thermal pad

- 6519 Receiver, micro, TQ 2.4GHz (3-channel)
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6521 Sensor, temperature and voltage (long)
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 2065 Servo, sub-micro, waterproof
- 6550 Telemetry expander, TQi radio system
- 6551 Telemetry GPS module, TQi radio system
- 6516 Transmitter, TQ 2.4GHz, 2-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas Link Wireless Module

- 3948X Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3949X Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3950X Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3951X Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3952X Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 6745 Gear, 9-T pinion (32-p) (steel)/ set screw
- 8052 Spur gear, 39-tooth (TRX-4)
- 8053 Spur gear, 45-tooth (TRX-4)

Ready-To-Race Model

82024-4 TRX-4 Sport: 4WD Electric Truck with TQ 2.4GHz Radio System

Scale Details

- 8022T Fuel canisters (black) (2)/ 3x8 FCS (1)
- 8022R Fuel canisters (blue) (2)/ 3x8 FCS (1)
- 8022 Fuel canisters (red) (2)/ 3x8 FCS (1)
- 8022X Fuel canisters (white) (2)/ 3x8 FCS (1)
- 8022A Fuel canisters (yellow) (2)/ 3x8 FCS (1)
- 8023T Jack (black) (1)/ 2x8 BCS (1)
- 8023 Jack (red) (1)/ 2x8 BCS (1)

Shocks (GTS)

- 8266 Body, GTS shock (aluminum, silver-anodized) (1)
- 8266X Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
- 8266A Body, GTS shock, aluminum (blue-anodized) (1)
- 8266G Body, GTS shock, aluminum (green-anodized) (1)
- 8266R Body, GTS shock, aluminum (red-anodized) (1)
- 8264 Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
- 8274 Hollow ball set, complete, TRX-4 (aluminum, PTFE-coated)
- 5475 Multi-tool (plastic)
- 8262 Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)
- 8263 Shock shaft, 3x47mm (GTS) (2)
- 8263T Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
- 8260X Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
- 8260A Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
- 8260G Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
- 8260R Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2)
- 8260 Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
- 1666 Silicone shock oil (30 wt)

Slipper Clutch Components

- 8292 Input shaft/ output shaft (transmission)
- 8286 Output shafts (transfer case), front & rear
- 8254 Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1))
- 8249 Slipper eliminator plate

Springs

- 8042 Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2)
- 8043 Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
- 8044 Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
- 8041 Springs, shock (natural finish) (GTS) (0.45 rate) (2)
- 8040 Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)
- 8045 Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)

Spur Gears & Pinion Gears

- 6746 Gear, 10-T pinion (32-p) (steel)/ set screw
- 6747 Gear, 11-T pinion (32-p) (steel)/ set screw
- 3942X Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3943X Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3944X Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3945X Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3946X Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw
- 3947 Gear, 17-T pinion (32-p) (mach. steel)/ set screw
- 3947X Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw

Steering Components

- 8232 Caster blocks (portal drive), left & right/ kingpin bushings (4)
- 8274 Hollow ball set, complete, TRX-4 (aluminum, PTFE-coated)
- 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
- 8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
- 8276 Rod ends (10)
- 8277 Rod ends, angled 10-degrees (8)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 8278 Rod ends, offset (4)
- 8247 Servo horn, steering
- 8247X Servo horn, steering, metal/ 3x14 BCS (1)
- 2075X Servo, digital high-torque, metal gear (ball bearing), waterproof
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 8246 Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)
- 8243 Suspension link, front, 5x100mm (lower) (steel) (2)
- 8244 Suspension link, front, 5x63mm (upper) (steel) (2)
- 8245 Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

Suspension Linkage

- 8058 Chassis conversion kit, TRX-4 (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))
- 8057 Chassis conversion kit, TRX-4 (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft)
- 8274 Hollow ball set, complete, TRX-4 (aluminum, PTFE-coated)
- 5355 Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)
- 8275 Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))
- 8276 Rod ends (10)
- 8277 Rod ends, angled 10-degrees (8)
- 2742 Rod ends, long (6)/ hollow ball connectors (6)
- 8278 Rod ends, offset (4)
- 5529 Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)
- 8243 Suspension link, front, 5x100mm (lower) (steel) (2)
- 8244 Suspension link, front, 5x63mm (upper) (steel) (2)
- 8245 Suspension link, rear, 5x121mm (upper or lower) (steel) (2)

Team Traxxas Items

- 2514 Decal sheet, racing sponsors
- 6160X DVD, Maxx Power! Full Throttle Action (sleeve)
- 9950 Official Team Traxxas racing decal set (flag logo/ 6-color)
- 9909 Traxxas racing banner, red & black (3x7 feet)

Tires & Wheels

- 8169T Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168T Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169X Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168X Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169G Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168G Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169A Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168A Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169R Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168R Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169 Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168 Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8174 Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right)
- 8172 Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
- 8273 Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2)

- 8179 Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 1.9 tires) (2)
- 8272 Tires and wheels, assembled, glued (TRX-4 wheels, Canyon Trail 1.9 tires) (2)**
- 8270 Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2)
- 8170 Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)**
- 8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4)
- 8173 Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock rings sold separately)**
- 8173A Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock rings sold separately)**
- 8171 Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)**
- 8171A Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)**
- 8268 Wheels, Tactical 1.9 (2)**
- 8271 Wheels, TRX-4 1.9 (2)**
- 8178 Wheels, TRX-4 Sport 1.9 (2)

Transmission Components

- 8283 Cable, T-lock (front)**
- 8284 Cable, T-lock (rear)**
- 8289 Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage**
- 8293 Gear set, transmission (includes 18T, 30T input gears, 36T output gear, 2x10.3 pins (5))**
- 8293X Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x10.3 pins (5))**
- 8291 Gearbox housing (includes main housing, front housing, & cover)
- 8285 Gears, transfer case (3)
- 5041 Grease, premium high performance (20cc)
- 8292 Input shaft/ output shaft (transmission)**
- 8295 Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
- 8294 Output gear, high range, 24T (metal)**
- 8286 Output shafts (transfer case), front & rear
- 8290 Plate, motor/ upper spur gear cover
- 8249 Slipper eliminator plate**
- 8296 Transmission gears, single speed, metal
- 8196 Two speed conversion kit**

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM