

TRX-4 Mercedes-Benz G 500 4x4² (Model 82096-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

 Ade haufing rang Ade haufi, torn, Havy dury (left å right) (requires #806 front generation of the second seco		Axle Components		Body (1979 Chevrolet Blazer)
 Ade mout, set (complete) (front & carp) (for supports on inks) Ade shaft, front, ford (pt) drive prir cross pin Ade shaft, front, ford (pt) drive prir cross pin Ade shaft, front, heavy duty (left & right) portal drive input gear Aries haft, rant, heavy duty (left & right) portal drive input gear Ade shaft, rant, heavy duty (left & right) portal drive input gear Ade shaft, rant, heavy duty (left & right) portal drive input gear Ade shaft, rant, heavy duty (left & right) portal drive input gear Ade shaft, rant, heavy duty (left & right) portal drive input gear Ade shaft, rant, heavy duty (left & right) portal drive input gear Ade shaft, rant, rang, range (left) Ade shaft, rant, range (left) Ade shaft, rang	8241		8130	Body, Chevrolet Blazer (1979) (clear, requires painting)/ decals/
 Ade shaft, front, front (rph) for pir cross pin perial drive improgent Ade shaft, front, fronty (rph) (rph) (reds in griph) (requires #B064 front perial drive improgent Ade shaft, front, fronty (rph) (rph 6 * friph) (requires #B064 front perial drive improgent Ade shaft, rear, heavy duty (left & right) portal drive imput gear machined) (2) (assembled) Ade shaft, rear, heavy duty (left & right) (requires #B066 front drive imput gear) Ade shaft, rear, heavy duty (left & right) (requires #B066 front drive imput gear) Ade shaft, rear, heavy duty (left & right) (requires #B066 froat port drive imput gear) Ade shaft, rear, heavy duty (left & right) (requires #B066 frear portal drive imput gear) Prota drive ade mount, rear, 680-176 aluminum (lefter- andized) (left and right) 2.5x16 C 3 (l) Prota drive ade mount, rear, 680-176 aluminum (refer- menticed) (left and right) 2.5x16 C 3 (l) Prota drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (requires #8000 Protal drive housing, neme, read (left o right) (reguires #8000 Protal drive housing, neme, read (left o right) (requi	8242	-	04000	
 Axia shart, from, Fray Query (Jeff & right) portal drive input gear) Axia shart, from, Fray Query (Jeff & right) portal drive input gear) Axia shart, from, Fray Query (Jeff & right) portal drive input gear) Axia shart, rear (right) A			8130G	
 Axie sind, front, feavy duty (left & right) portal drive input gent (Asie shaft, front, heavy duty (left & right) portal drive input gent (Asie shaft, front, heavy duty (left & right) portal drive input gent (Asie shaft, front, heavy duty (left & right) portal drive input gent (Asie shaft, front, heavy duty (left & right) portal drive input gent (Asie shaft, front, heavy duty (left & right) portal drive input gent (Asie shaft, front, heavy duty (left & right) portal drive input gent (Asie shaft, rest, heavy duty (left & right) portal drive input gent (Asie shaft, rest, heavy duty (left & right) portal drive input gent (Asie shaft, rest, heavy duty (left & right) portal drive input gent (Asie shaft, rest, heavy duty (left & right) portal drive input gent (Asie shaft) (Asie Sh			8130 A	
 Akte staft, from, flewy duty (left a right) portal drive input gear (machine) (2) (assembbid). Akte staft, rear (right) Akte staft, rear (right)<		Axle shaft, front, heavy duty (left & right) (requires #8064 front		door handles, windshield wipers, decals)
 Ave shaf, rear (ref) Ave shaf, rear, rear) Ave shaft, rear, rear)	8062	Axle shaft, front, heavy duty (left & right)/ portal drive input gear		Door handles, left, right & rear tailgate/ windshield wipers, left &
 Axie shaft, rear (machines) Axie shaft, rear (machin	8230		8134	
 Axte shaft, rear, heavy duty (left & right) (requires #066 rear portal drive input gear, rear (heavy duty) (left & right) (requires #066 rear portal drive input gear, rear, 666 r 15 aluminum (blue-anodized) Portal drive axte mount, rear, 666 r 15 aluminum (charcoal grav-anodized) (left and right) 2.5x16 C 5 (4) Portal drive axte mount, rear, 666 r 15 aluminum (red-anodized) Portal drive axte mount, rear, 666 r 15 aluminum (red-anodized) Portal drive axte mount, rear, 666 r 15 aluminum (red-anodized) Portal drive axte mount, rear, 666 r 15 aluminum (red-anodized) Portal drive axte mount, rear, 666 r 15 aluminum (red-anodized) Portal drive axte mount, rear, 666 r 15 aluminum (red-anodized) Portal drive input gear, rear (fent or right) (2.5x6 C 5 (a) Portal drive input gear, rear Portal drive input gear, rea				
8883 Axie, rear, heavy duty (loft & right) (requires #8056 rear portal drive input gear). 88135 8233 Cross pin (2) drive pin (2) (to rebuil front ave shafts) (Portal drive axie mount, rear, 6661-T8 aluminum (blue-anodized) (Portal drive axie mount, rear, 6661-T8 aluminum (green- anodized) (loft and right) 2.5x16 CS (4) 8010		Axle shaft, rear, heavy duty (left & right)/ portal drive input gear,	8133	body) Mirrors, side, chrome (left & right)/ o-rings (4)/ body clips (4) (fit
 Cons pin (2) dive pin (2) (to rebuild front add shafts) Portal drive add mount, rear, 6861-15 aluminum (blue-anodized) (left and right) 2.5x15 CS (4) Portal drive add mount, rear, 6861-15 aluminum (charcoal gray- anodized) (left and right) 2.5x15 CS (4) Portal drive add mount, rear, 6861-15 aluminum (charcoal gray- anodized) (left and right) 2.5x15 CS (4) Portal drive add mount, rear, 6861-15 aluminum (charcoal gray- anodized) (left and right) 2.5x15 CS (4) Portal drive add mount, rear, 6861-15 aluminum (charcoal gray- anodized) (left and right) 2.5x15 CS (4) Portal drive housing, inner, rear (for right) (2) Portal drive housing, inner, rear (for right) (2) Portal drive intug gray, rear Portal housings, inner (rear), 6661-16 aluminum (green- anodized) (2) X x12 BCS (2) Portal housings, inner (rear), 6661-16 aluminum (green- anodized) (2) X x12 BCS (2) Portal housings, inner (rear), 6661-16 aluminum (green- anodized) (2) X x12 BCS	8063	Axle, rear, heavy duty (left & right) (requires #8065 rear portal	8135	#8130 body)
 Portal drive adve mount, rear, 6061-T6 aluminum (blue-anodized) (eff and right) 2.5x16 CS (4) Portal drive adve mount, rear, 6061-T6 aluminum (red-anodized) (eff and right) 2.5x16 CS (4) Portal drive adve mount, rear, 6061-T6 aluminum (red-anodized) (eff and right) 2.5x16 CS (4) Portal drive adve mount, rear, 6061-T6 aluminum (red-anodized) (eff and right) 2.5x16 CS (4) Portal drive abusing, inner, front (real-inol) (left or right) (requires #8060 front axis ashaft) Portal drive abusing, inner, front (real-inol) (left or right) (requires #8060 front axis ashaft) Portal drive nousing, inner, front (real-inol) (left or right) (requires #8060 front axis ashaft) Portal drive input gasr, front (machined) (left or right) (requires #8060 front axis ashaft) Portal drive input gasr, front (machined) (left or right) (requires #8060 front axis ashaft) Portal drive input gasr, front (machined) (left or right) (requires #8060 front axis ashaft) Portal drive input gasr, front (machined) (left or right) (requires #8060 front axis ashaft) Portal drive input gasr, front (machined) (left or right) (requires #8060 front axis ashaft) Portal drive input gasr, front (machined) (left or right) (requires #8060 front axis ashaft) Portal drive input gasr, front (machined) (left or right) (requires #8060 front axis ashaft) Portal drive input gasr, front (machined) (left or right) (requires #8060 front axis ashaft) Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2) 3x12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2) 2x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2) 2x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2) 2x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-ano	8233			
2825X Portal drive axie mount, rear, 605-176 aluminum (charcoal gray anodized) (if and right) 2.5xt 6 C s(4) B010 B010 2826A Portal drive axie mount, rear, 605-176 aluminum (charcoal gray anodized) (if and right) 2.5xt 6 C s(4) B010 B010 B010 2826A Portal drive axie mount, rear, 605-176 aluminum (red-anodized) B010 B011 B010 B010 B010 B010 B010 B010 B011 B010 B011				(2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2
 Portal drive axie mount, rear, 661-T6 aluminum (preen- anodizaci) (left and right) 2.5xt 6C 5(1) Portal drive axie mount, rear, 661-T6 aluminum (red-anodizaci) Portal drive axie mount, rear, 661-T6 aluminum (red-anodizaci) Portal drive busing, inner, rear (left or right) (2) Portal drive busing, inner, rear (left or right) (2) Portal drive busing, inner, rear (left or right) (2) Portal drive busing, inner, rear (left or right) (2) Portal drive busing, inner, rear (left or right) (2) Portal drive busing, inner, rear (left or right) (2) Portal drive busing, inner, rear (left or right) (2) Portal drive input gear, front (drives pin cross pin 40005) Portal drive input gear, front (drive pin cross pin 40005) Portal drive input gear, rear Portal drive input gear, rear Portal drive input gear, rear (real), 661-T6 aluminum (blue-anodized) (2) 'A 12 GS (2) Portal housings, inner (reat), 661-T6 aluminum (charcoal gray- anodized) (2) 'A 2xt 12 GS (2) Portal housings, inner (reat), 661-T6 aluminum (red-anodized) (2) 'A 2xt 12 GS (2) Portal housings, inner (reat), 661-T6 aluminum (red-anodized) (2) 'A 2xt 12 GS (2) Portal housings, inner (reat), 661-T6 aluminum (rea-anodized) (2) 'A 2xt 12 GS (2) Portal housings, inner (reat), 661-T6 aluminum (red-anodized) (2) 'A 2xt 12 GS (2) Portal housings, inner (reat), 661-T6 aluminum (red-anodized) (2) 'A 2xt 12 GS (2) Portal housings, inner (reat), 661-T6 aluminum (rea-anodized) (2) 'A 2xt 12 GS (2) Portal housings, inner (reat), 661-T6 aluminum (rea-anodized) (2) 'A 2xt 12 GS (2) Portal housings, inner (reat), 661-T6 aluminum (rea-anodized) (2) 'A 2xt 10 GS (2)		· · · · · · · · · · · · · · · · · · ·		
anodized) (eff and right) Z.sk16 CS (4) b010 B256P Portal drive acts mount, rear, 6061-176 aluminum (red-anodized) (eff and right) Z.sk16 CS (4) b0102 B252P Portal drive housing, inner, rear (eff or right) (Z.sk16 CS (4) b0102 B252 Portal drive housing, inner, rear (eff or right) (Z.sk16 CS (4) b0102 B252 Portal drive housing, inner, rear (eff or right) (Z.sk16 CS (4) b0102 B252 Portal drive housing, inner, rear (eff or right) (requires #8060 front and set ashift) b011 B252 Portal drive input gear, rear #8065 Forat acle) b0112 b0114 B252 Portal drive input gear, rear #8065 Forat acle) b0114 b0114 realing a panel inalign back (left A right) retainers (2) body clips (4) (fits #8010 body) B2524 Portal housings, inner (front), 6061-16 aluminum (blue-anodized) (2) X12 BCS (2) b0111 B0114 B0144 b1144 b1144 B2524 Portal housings, inner (front), 6061-16 aluminum (red-anodized) (2) X12 BCS (2) b1114 B0144 B				Body (1979 Ford Bronco)
 Portal drive axele mount, rear, 6061-T6 aluminum (green- anodized) (eff and right) 2.5x16 CS (a) Portal drive axele mount, rear, 6061-T6 aluminum (red-anodized) Portal drive housing, inner, fran ((fle f ng/h) (2) Portal drive housing, inner, fran ((fle f ng/h) (2) Portal drive housing, inner, fran ((fle f ng/h) (2) Portal drive housing, inner, fran ((fle f ng/h) (2) Portal drive housing, inner, fran ((fle f ng/h) (2) Portal drive housing, inner, fran ((fle f ng/h) (2) Portal drive housing, inner, fran ((fle f ng/h) (2) Portal drive housing, inner, fran ((fle f ng/h) (2) Portal drive housing, inner (fran), 6061-T6 aluminum (blue-anodized) (2) 3x12 BCS (2) Portal drive housing, inner (fran), 6061-T6 aluminum (charcoal gray- anodized) (2) 3x12 BCS (2) Portal housing, inner (fran), 6061-T6 aluminum (charcoal gray- anodized) (2) 3x12 BCS (2) Portal housing, inner (fran), 6061-T6 aluminum (charcoal gray- anodized) (2) 3x12 BCS (2) Portal housing, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2) 3x12 BCS (2) Portal housing, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2) 3x12 BCS (2) Portal housing, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2) 2x12 BCS (2) Portal housing, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2) 2x12 BCS (2) Portal housing, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2) 2x12 BCS (2) Portal housing, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2) 2x12 BCS (2) Portal housing, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2) 2x12 BCS (2) Portal housing, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2) 2x12 BCS (2) Portal housing, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2	8256A		8010	
2258F. Portal drive axis mount, rear, 6081-T6 aluminum (red-anodized) Handles, eff affet drive input gen, for drive inpu	8256G		8010X	
(left and right) 2.5x16 CS (4) decails (requires 8072 inner fenders) 2829 Portal drive housing, inner, form (left a right) 2.5x4 BCS (6) Bord 2829 Portal drive housing, inner, form (left a right) (requires #060 front axis shaft) Bord adrive housing, chert (machined) (left or right) (requires #060 front axis shaft) Bord adrive housing, chert (front drive pin/ cross pin Bord 2829 Portal drive input gear, form (machined) (left or right) (requires #060 front axis shaft) Bord adrive input gear, rear (machined) (left or right) (requires #060 front axis shaft) Bord adrive input gear, rear (machined) (left or right) (requires #060 front axis shaft) 2820 Portal drive input gear, rear (machined) (left or right) (requires #060 front axis shaft) Bord adrive input gear, rear (machined) (left or right) (requires #060 front axis shaft) 2820 Portal drive input gear, rear (front), 6061-16 aluminum (blue-anodized) (2/ 32 x12 CGS (2) Bord adrive input gear, rear (front), 6061-16 aluminum (grean-anodized) (2/ 32 x12 CGS (2) Bord adrive input gear (front drive front), 6061-16 aluminum (grean-anodized) (2/ 32 x12 CGS (2) Bord adrive input gear (front drive front), 6061-16 aluminum (blue-anodized) (2/ 2/ x12 CGS (2) Bord adrive front adrive front, 6061-16 aluminum (grean-anodized) (2/ 2/ x12 CGS (2) Bord adrive front adrive front, 6061-16 aluminum (grean-anodized) (2/ 2/ x12 CGS (2) Bord (2/ k12 k12 CGS (2) 28230 Portal housings, inner (rear), 6061-16 aluminum (grean-anodized) (2/ 2/ x12 CGS (2) <t< td=""><td>8256R</td><td></td><td></td><td></td></t<>	8256R			
 Portal drive housing, inner, rear (left or right) (2) Portal drive input gear, ford (machined) (left or right) (requires #060 front axie shaft) Portal drive input gear, ford (machined) (left or right) (requires #061 from taxie shaft) Portal drive input gear, rear (machined) (left or right) (requires #061 from taxie shaft) Portal drive input gear, rear (machined) (left or right) (requires #061 from taxie shaft) Portal drive input gear, rear (machined) (left or right) (requires #063 rear axie) Portal drive input gear, rear (machined) (left or right) (requires #063 rear axie) Portal drive input gear, rear (machined) (left or right) (requires #063 rear axie) Portal drive input gear, rear (machined) (left or right) (requires #061 from taxies input gear, rear (machined) (left or right) (requires #061 from taxies input gear, rear (machined) (left or right) (requires #061 from taxies input gear, rear (left back)) Portal drive lousing, inner (front), 6661 from taxies input gear, rear (left back)) Portal drive lousing, inner (front), 6661 from taxies input gear, ford (from taxies input gear) Portal drive lousing, inner (rear), 6661 from taxies input gear) Portal housing, inner (rear), 6661 from taxies input gear) Portal housing, inner (rear), 6661 from taxies input gear) Portal housing, inner (rear), 6661 from taxies input gear) Portal housing, inner (rear), 6661 from taxies input gear) Portal housing, inner (rear), 6661 from taxies input gear) Portal housing, inner (rear), 6661 from taxies input gear) Portal housing, inner (rear), 6661 from taxies input gear) Portal housing, inner (rear), 6661 from taxies input gear) Portal housing, inner (rear), 661 from taxies input gear) Portal housing, inner (rear), 6661 from taxies input gear)				decals) (requires #8072 inner fenders)
 Portal drive input gear, front (machined) (left or right) (requires #3010 body) Portal drive input gear, front (machined) (left or right) (requires #3010 body) Portal drive input gear, front (machined) (left or right) (requires #3010 body) Portal drive input gear, front (machined) (left or right) (requires #3010 body) Portal drive input gear, front (machined) (left or right) (requires #3010 body) Portal drive input gear, front (machined) (left or right) (requires #3010 body) Portal drive input gear, front (machined) (left or right) (requires #3010 body) Portal housing, inner (front), 6061-T6 aluminum (blue-anodized) Portal housing, inner (front), 6061-T6 aluminum (green-anodized) (2) Xx12 BCS (2) Portal housing, inner (front), 6061-T6 aluminum (green-anodized) (2) Xx12 BCS (2) Portal housing, inner (front), 6061-T6 aluminum (green-anodized) (2) Xx12 BCS (2) Portal housing, inner (front), 6061-T6 aluminum (green-anodized) (2) Xx12 BCS (2) Portal housing, inner (front), 6061-T6 aluminum (green-anodized) (2) Xx12 BCS (2) Portal housing, inner (front), 6061-T6 aluminum (green-anodized) (2) Xx12 BCS (2) Portal housing, inner (front), 6061-T6 aluminum (green-anodized) (2) Zx10 CS (2) Portal housing, outer, 6061-T6 aluminum (green-anodized) (2) Zx10 CS (2) Portal housing, outer, 6061-T6 aluminum (green-anodized) (2) Zx10 CS (2) Portal housing, outer, 6061-T6 aluminum (green-anodized) (2) Zx10 CS (2) Portal housing, inner (rear), 8061-T6 aluminum (green-anodized) (2) Zx10 CS (2) Portal housing, outer, 6061-T6 aluminum (green-anodized) (2) Zx10 CS (2) Portal housing, outer, 6061-T6 aluminum (green-anodized) (2) Zx10 CS (2) Portal housing, outer, 6061-T6 aluminum (green-anodized) (2) Zx10 CS (2) Portal housing, outer, 6061-T6 a			8078R	Decal sheet, Bronco, red
8864 Portal drive input gear, front (machined) (left or right) (requires 8070 Grille, Ford 3 Bornoor grille retainers (§) headight housing (2) 8267 Portal drive input gear, rear (machined) (left or right) (requires 8073 Mirrors, side, holack (left & right)/ retainers (2) body clips (4) (ft # 8010 body) 8258 Portal drive input gear, rear (machined) (left or right) (requires 8073 Mirrors, side, chrome (left & right)/ retainers (2) body clips (4) (ft # 8010 body) 8258 Portal housings, inner (front), 6061-16 aluminum (blue-anodized) (2) 3xt2 BCS (2) 8074 Spare tire mound mounting bracket/ spare tire cover/ mounting hardware 8074 Spare tire mound mounting bracket/ spare tire cover/ mounting hardware 8074 Taligate panel insert (clear, requires painting)/ adhesive foam tage (2) (fits #8010 body) 8074 Spare tire mound mounting bracket/ spare tire cover/ mounting macket/ spare tire cover/ mounting hardware 8074 Body Land Rover® Defender® (clear, trimmed, requires painting)/ adhesive foam tage (2) (fits #8010 body) 8074 Body Land Rover® Defender® (clear, trimmed, requires painting)/ adhesive foam tage (2) (fits #8010 body) 8074 Body Land Rover® Defender® (clear, trimmed, requires painting)/ adhesive foam tage (2) (fits #8010 body) 8074 Body Land Rover® Defender® (2) (2) (2, 5xt 0 CS (2) 8074 Bod			8075	Door handles, left & right/ windshield wipers, left & right/
 Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle) Portal drive input gear, rear (machined) (left or right) (requires #8010 body) Portal drive input gear, rear (machined) (left or right) (requires #8010 body) Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2/) \$3/12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2/) \$3/12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2/) \$3/12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2/) \$3/12 BCS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) \$2/5/10 CS (1/) Portal housings, inner (rear), 6061-T6 alum		Portal drive input gear, front (machined) (left or right) (requires	8070	
 Portal drive input gear, rear Portal drive input gear, font or rear Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2) X12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (red-anodized) Portal housings, inner (front), 6061-T6 aluminum (red-anodized) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2) X12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2) X12 BCS (2) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2) X10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2) Z5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) Portal housings, outer, 6061-T6 aluminum (red-anodized) Portal housings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2) Z5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2) Z5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2) Z5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (crea- anodized) (2) Z5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (crea- anodized) (2) Z5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (crea- anodized) (2) Z5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (crea- anodized) (2) Z5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (crea- anodized) (2) Z5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (crea- anodized) (2) Z5x10 CS (2) Portal housings, ou	8257	•	8073	
 #8063 rear axie) Weight, portal housings, inner (front), 6061-T6 aluminum (blue-anodized) % Spare tire mount mounting bracket/ spare tire cover/mounting bracket/ spare tire cover/mounting	8259	Portal drive input gear, rear		#8010 body)
28252 Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) Portal housings, inner (front), 6061-T6 aluminum (charcoal gray- anodized) (2/) 3x12 BCS (2) 8077 Tailgate panel inser (clear, requires painting)/ adhesive foam tape (2) (1fits #8010 body) 82524 Portal housings, inner (front), 6061-T6 aluminum (green- anodized) (2/) 3x12 BCS (2) 8071 Tailgate panel / tail light lens (2) (left & right) (fits #8010 body) 82528 Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2/) 3x12 BCS (2) 8071 Body, Land Rover® Defender®, (clear, trimmed, requires painting) // window masks/ decail sheet 80114 Body, Land Rover® Defender®, adventure orange (complete wil ExoCage, inner fenders, fuel canisters, and jack) 80128 Portal housings, inner (rear), 6061-T6 aluminum (green- anodized) (2/) 2.5x10 CS (2) 8011 Body, Land Rover® Defender®, green (complete wil ExoCage (complete wil tassembly hardware; #8015 roof baske sold separately) (fits #8011 or #8211 body) 80112 80118 Body, Land Rover® Defender® Body, Land Rover® Defender® Body, Land Rover® Defender® 8012 Stat Boerings, outer, 6061-T6 aluminum (blue-anodized) (2/) 2.5x10 CS (12) Body, Land Rover® Defender® Body 8012 Stat Boerings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2/) 2.5x10 CS (12) Body Body (arewe® Defender®) Body 80117 Fenders inner, front & rear (2 each)	8065		8073X	
 (2) \$xt2 BCS (2) 8077 8078 8078 8079 8079 8079 8074 8074 8074 8074 8074 8075 8074 8074<			8074	Spare tire mount/ mounting bracket/ spare tire cover/ mounting
 anodizad) (2) 3x12 BCS (2) Botz B C (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	8252X		8077	Tailgate panel insert (clear, requires painting)/ adhesive foam
 Portal housings, inner (front), 6061-T6 aluminum (green-anodized) (2) X12 BCS (2) Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2) /2.5x10 CS (2) Body, Land Rover® Defender®, deventure orange (complete with ExoCage, inner federes, fuel canisters, and jack) Body, Land Rover® Defender®, grean (complete with ExoCage, inner federes, fuel canisters, and jack) Body, Land Rover® Defender®, grean (complete with ExoCage, inner federes, fuel canisters, and jack) Body, Land Rover® Defender®, grean (complete with ExoCage, inner federes, fuel canisters, and jack) Body, Land Rover® Defender®, grean (complete with ExoCage, inner federes, fuel canisters, and jack) Body, Land Rover® Defender®, grean (complete with ExoCage, inner federes, fuel canisters, and jack) Body, Land Rover® Defender®, grean (complete with ExoCage (complete with ExoCage (complete with ExoCage (complete with assembly hardware; #8015 roof baske sold separately) (fits #8011 body) Stoto CS (2) Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2) Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Stoto CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Body, Land Rover® Defender® grille mount (2) (fits #8011 body) Body Land Rover® Defender® grille mount (2) (fits #8011 body) Body Land Rover® Defender® grille mount (2) (fits #8011 body) Body Land Rover® Defender® grille mount (2) (fits #8011 body) Body Land Rover® Defender® grille mount (2) (fits #8	8252A		8071	• • • • • • •
8252R Portal housings, inner (front), 6061-T6 aluminum (red-anodized) (2)/ 3x12 BCS (2) Body, Land Rover® Defender® (clear, trimmed, requires painting) window masks/ decal sheet 8253X Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2) 8011 8253B Portal housings, inner (rear), 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (2) 8011X 8253P Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) 8011X 8253P Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) 8011X 8253A Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (2) 8011X 8251A Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8011X 8251A Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8015 8251A Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8015 8251B Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8015 8251F Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8017 8251G Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8016 8255A Stub axle, extended (portal drive) (2) 8257K Portal housings, bras (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251A, or 8251A or 8251A or 8251G oute	8252G			
 Ball bearings, black rubber sealed (fxt1x4mm) (2) Ball bearings, bl	8252R	Portal housings, inner (front), 6061-T6 aluminum (red-anodized)	8011	
 Batsa Portal housings, inner (rear), 6061-T6 aluminum (charcoal grayanodized) (2) 2.5x10 CS (2) Batsa Portal housings, outer, 6061-T6 aluminum (red-anodized) (2) 2.5x10 CS (2) Batsa Portal housings, outer, 6061-T6 aluminum (charcoal grayanodized) (2)/ 2.5x10 CS (12) Batsa Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Batsa Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Batsa Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Batsa Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Batsa Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Batsa Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Batsa Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Batsa Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Bati bearings, black rubber sealed (10x15x4mm) (2) Bati bearings, black rubber sealed (10x15x4mm) (2) Bati bearings, black rubber sealed (5x10x4mm) (2) Bati beari	8253X	Portal housings, inner (rear), 6061-T6 aluminum (blue-anodized)	8011A	Body, Land Rover® Defender®, adventure orange (complete wite ExoCage, inner fenders, fuel canisters, and jack)
2253G Portal housings, inner (rear), 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (2) 8011R 8011R 8253R Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) 8011 8011R 8253R Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) 8011 8012 8251A Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) 8019 Fender brace, inner, front & rear (2 each) (rock light covers (8) 8251R Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) 8017 Fender brace, inner, front & rear (2 each) (rock light covers (8) 8251R Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8018 Grille, Land Rover® Defender® grille mount (2) (fits #8011 or #8211 body) 8251R Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8018 Grille, Land Rover® Defender® grille mount (2) (fits #8011 body) 8251R Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8015 Roof basket (requires #8016 ExoCage) (fits #8011 body) 82528 Stub axle, extended (portal drive) (2) 8015 Roof basket (requires #8016 ExoCage) (fits #8011 body) 8267 Weight, portal housing, black rubber sealed (12x18x4mm) (2) 8015 Roof basket (requ	8253A			Body, Land Rover® Defender®, graphite silver (painted)/ decals
anodized) (2)/ ² .5x10 CS (2) Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (2) 8251X Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 2.5x10 CS (12) 8251A Portal housings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (12) 8251G Portal housings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (12) 8251R Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) 8251R Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8255A Stub axle, extended (portal drive) (2) 8267 Weight, portal housing, black rubber sealed (12x18x4mm) (2) 5119A Ball bearings, black rubber sealed (12x18x4mm) (2) 5119A Ball bearings, black rubber sealed (5x11x4mm) (2) 5116A Ball bearings, black rubber sealed (5x11x4mm) (2) 5117A Ball bearings, black rubber sealed (5x11x4mm) (2) 5118A Ball bearings, black rubber sealed (5x11x4mm) (2) 5116A Ball bearings, black rubber sealed (5x11x4mm) (2) 5117A Ball bearings, black rubber sealed (5x11x4mm) (2) 5118A Ball bearings, black rubber sealed (5x13x5mm) (2) 5118A B	9253G		8011G	
8253R Portal housings, inner (rear), 6061-T6 aluminum (red-anodized) 8012 Decals, Land Rover® Defender® 8251X Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ 8016 ExoCage (complete with assembly hardware; #8015 roof basker sold separately) (fits #8011 body) 8251A Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 8017 Fender brace, inner, front & rear 8251G Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 8013 Grille, Land Rover® Defender®/ grille mount (3) headlight housing (2) lens	02550		8011R	
(2)/ 2.5x10 CS (2) 8016 ExcCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body) 8251X Portal housings, outer, 6061-T6 aluminum (blue-anodized) (2)/ anodized) (2)/. 2.5x10 CS (12) 8017 Fender brace, inner, front & rear 8251A Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) 8017 Fender stace, inner, front & rear 2 each) (fits #8011 or #8211 body) 8251A Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) 8013 Grille, Land Rover® Defondre% grille mount (3) headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body) 8255A Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8015 Roof basket (requires #8016 ExoCage) (fits #8011 body) 8255A Stub axle, extended (portal drive) (2) 8015 Roof basket (requires #8016 ExoCage) (fits #8011 body) 8267 Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251A, 8251R, 8251A, or 8251G outer portal housing) 8014 Bolt bearings, black rubber sealed (10x15x4mm) (2) 5119A Ball bearings, black rubber sealed (10x15x4mm) (2) 8811 Body, Mercedes-Benz® G 500@ (clear, requires painting)/ decal window masks 5116A Ball bearings, black rubber sealed (5x10x4mm) (2) 8813 Grille, Mercedes-Benz® G 500@ Grille, Mercede	8253R		8012	Decals, Land Rover® Defender®
2.5x10 CS (12) 8019 8251A Portal housings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (12) 8017 8251B Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) 8018 8251R Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) 8019 8252A Stub axle, extended (portal drive) (2) 8015 8255A Stub axle, extended (portal drive) (2) 8015 8267 Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251R, 8251G outer portal housing) 8015 8119 Ball bearings, black rubber sealed (10x15x4mm) (2) 8014 8119A Ball bearings, black rubber sealed (12x18x4mm) (2) 8116A Ball bearings, black rubber sealed (5x10x4mm) (2) 811A Ball bearings, black rubber sealed (5x10x4mm) (2)		(2)/ 2.5x10 CS (2)	8016	ExoCage (complete with assembly hardware; #8015 roof basket sold separately) (fits #8011 body)
 Portal housings, outer, 6061-T6 aluminum (charcoal gray- anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) Roof basket (requires #8016 ExoCage) (fits #8011 body) Ball bearings, black rubber sealed (12x18x4mm) (2) Ball bearings, black rubber sealed (5x11x4mm) (2) Ball bearings, black rubber sealed (5x12x4mm) (2) Ball bearings, black rubber sealed (5x15x5mm) (2) Ball bearings, black rubber sealed (5x15x5mm) (2) Ball bearings, black rubber sealed (5x15x5mm) (2) <l< td=""><td></td><td></td><td>8019</td><td></td></l<>			8019	
8251G Portal housings, outer, 6061-T6 aluminum (green-anodized) (2)/ 2.5x10 CS (12) 8013 Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body) 8251R Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8013 Grille, Land Rover® Defender®/ grille mount (3)/ headlight housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body) 8255A Stub axle, extended (portal drive) (2) 8015 Roof basket (requires #3016 ExoCage) (fits #8011 body) 8267 Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #3251X, 8251R, 8251A, or 8251G outer portal housing) 8015 Roof basket (requires #3016 ExoCage) (fits #8011 body) 8267 Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #3251X, 8251R, 8251A, or 8251G outer portal housing) 8015 Roof basket (requires #3016 ExoCage) (fits #8011 body) 8267 Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #3251X, 8251R, 8251A, or 8251G outer portal housing) 8015 Roof basket (requires #3016 ExoCage) (fits #8011 body) 8219 Ball bearings, black rubber sealed (10x15x4mm) (2) 801 Body, Mercedes-Benz® G 500® (clear, requires painting)/ decal window masks 5115A Ball bearings, black rubber sealed (5x10x4mm) (2) 8812 Decals, Mercedes-Benz® G 500® (clear, requires painting)/ decal window masks 51114A Ball b	8251A			
 2.5x10 CS (12) 8251R Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) 8255A Stub axle, extended (portal drive) (2) 8267 Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) 8267 Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) 8219 Ball bearings, black rubber sealed (10x15x4mm) (2) 8210 Ball bearings, black rubber sealed (10x15x4mm) (2) 8211 Ball bearings, black rubber sealed (5x10x4mm) (2) 8211 Ball bearings, black rubber sealed (5x10x4mm) (2) 8211 Ball bearings, black rubber sealed (5x10x4mm) (2) 8211 Ball bearings, black rubber sealed (6x11x4mm) (2) 8211 Ball bearings, black rubber sealed (6x12x4mm) (2) 8212 Ball bearings, black rubber sealed (6x12x4mm) (2) 8213 Ball bearings, black rubber sealed (6x12x4mm) (2) 8214 Ball bearings, black rubber sealed (6x12x4mm) (2) 8215 B		anodized) (2)/ 2.5x10 CS (12)		
 2.5x10 CS (12) 8255A 8267 8267 8267 8267 8267 8267 8251X, 8251R, 8251A, or 8251G outer portal housing) 8261 8268 8267 8267 8267 8267 8251X, 8251R, 8251A, or 8251G outer portal housing) 8261 8015 8015 8015 8021 8014 8015 8021 8014 8014 8014 8015 8021 8014 8014 8015 8021 8014 8014 8014 8015 8021 8014 8014 8014 8015 8021 8014 8014 8014 8014 8014 8015 8021 8014 8014 8014 8014 8014 8014 8015 8021 8014 8014 8014 8014 8015 8021 8014 8014 8014 8014 8014 8015 8021 8014 8014 8014 8015 8021 8014 8015 8021 8014 8014 8014 8014 8015 8021 8014 8014 8014 8014 8014 8014 8015 8021 8014 8014 8014 8014 8014 8015 8021 8014 8015 8021 8014 8016 8021 8014 8015 8014 8016 8015 8016 8016 8017 8018 8019 		2.5x10 CS (12)		housing (2)/ lens (2)/ headlight mount (2) (fits #8011 body)
 8267 Weight, portal housing, brass (34 grams) (2)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) Bearings, black rubber sealed (10x15x4mm) (2) 5119A Ball bearings, black rubber sealed (10x15x4mm) (2) 5115A Ball bearings, black rubber sealed (4x10x4mm) (2) 5115A Ball bearings, black rubber sealed (5x10x4mm) (2) 5116A Ball bearings, black rubber sealed (5x10x4mm) (2) 5117A Ball bearings, black rubber sealed (6x12x4mm) (2) 5117A Ball bearings, black rubber sealed (6x13x5mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 		2.5x10 CS (12)		#8011 body)
(requires #8251X, 8251R, 8251R, 8251R, or 8251G outer portal housing) Bearings, 8251R, 8				
Bearings Builsbarings Bui	8267			• • • • • • •
5119A Ball bearings, black rubber sealed (10x15x4mm) (2) 5120A Ball bearings, black rubber sealed (12x18x4mm) (2) 5104A Ball bearings, black rubber sealed (12x18x4mm) (2) 5115A Ball bearings, black rubber sealed (4x10x4mm) (2) 5116A Ball bearings, black rubber sealed (5x10x4mm) (2) 5116A Ball bearings, black rubber sealed (5x11x4mm) (2) 5114A Ball bearings, black rubber sealed (5x11x4mm) (2) 5117A Ball bearings, black rubber sealed (6x12x4mm) (2) 5117A Ball bearings, black rubber sealed (6x12x4mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 5103A Ball bearings, black rubber sealed (7x14x5mm) (2)			8014	
Ball bearings, black rubber sealed (12x18x4mm) (2)8811Body, Mercedes-Benz® G 500® (clear, requires painting)/ decal window masks5104ABall bearings, black rubber sealed (12x18x4mm) (2)8812Decals, Mercedes-Benz® G 500®5115ABall bearings, black rubber sealed (5x10x4mm) (2)8812Decals, Mercedes-Benz® G 500®5116ABall bearings, black rubber sealed (5x11x4mm) (2)8813Grille, Mercedes-Benz® G 500®/ grille mount/ grille insert/ headlight lens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2 bumperette front (2)5117ABall bearings, black rubber sealed (6x12x4mm) (2)8817Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self- tapping) (3)	51104			Body (Mercedes-Benz & 500)
5104ABall bearings, black rubber sealed (4x10x4mm) (2)window masks5115ABall bearings, black rubber sealed (5x10x4mm) (2)88125116ABall bearings, black rubber sealed (5x11x4mm) (2)88135116ABall bearings, black rubber sealed (5x11x4mm) (2)88135117ABall bearings, black rubber sealed (5x12x4mm) (2)88135117ABall bearings, black rubber sealed (6x12x4mm) (2)88135118ABall bearings, black rubber sealed (6x13x5mm) (2)88175103ABall bearings, black rubber sealed (7x14x5mm) (2)88175103ABall bearings, black rubber sealed (7x14x5mm) (2)8817			8811	
S115ABall bearings, black rubber sealed (5x10x4mm) (2)8812Decals, Mercedes-Benz® G 500®5115ABall bearings, black rubber sealed (5x10x4mm) (2)8813Grille, Mercedes-Benz® G 500®/5116ABall bearings, black rubber sealed (5x11x4mm) (2)8813Grille, Mercedes-Benz® G 500®/5117ABall bearings, black rubber sealed (5x12x4mm) (2)8813Grille, Mercedes-Benz® G 500®/5117ABall bearings, black rubber sealed (6x12x4mm) (2)8813Iens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)5103ABall bearings, black rubber sealed (7x14x5mm) (2)8817Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)		S / () ()	0011	
5116ABall bearings, black rubber sealed (5x11x4mm) (2)8813Grille, Mercedes-Benz® G 500®/ grille mount/ grille insert/ headlight5116ABall bearings, black rubber sealed (5x11x4mm) (2)8813Grille, Mercedes-Benz® G 500®/ grille mount/ grille insert/ headlight5117ABall bearings, black rubber sealed (5x12x4mm) (2)8813Iens (2)/ headlight reflector (2)/ reflector lens (2)/ bumperette front (2)5116ABall bearings, black rubber sealed (6x12x4mm) (2)8817Mirrors, side, black (left & right/) o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)			8812	
5114A Ball bearings, black rubber sealed (5x8x2.5mm) (2) lens (2) / headlight reflector (2) / reflector lens (2) / bumperette front (2) 5114A Ball bearings, black rubber sealed (5x8x2.5mm) (2) lens (2) / headlight reflector (2) / reflector lens (2) / bumperette front (2) 5117A Ball bearings, black rubber sealed (5x8x2.5mm) (2) bumperette mount (2) / turn signal housing (2)				
5117A Ball bearings, black rubber sealed (6x12x4mm) (2) bumperette mount (2)/ turn signal housing (2)/ turn si				
5180A Ball bearings, black rubber sealed (6x13x5mm) (2) 8817 retainer (2)/ turn signal lens (2)/ 5103A Ball bearings, black rubber sealed (7x14x5mm) (2) 8817 Mirrors, side, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)				
5103A Ball bearings, black rubber sealed (7x14x5mm) (2) Ball bearings, black rubber sealed (7x14x5mm) (2) Ball bearings, black rubber sealed (7x14x5mm) (2) Ball bearings, black (left & right)/ o-rings (4)/ windshield wipers, left, right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-tapping) (3)			0047	
			8817	right, & rear/ wiper retainers (2)/ body clips (4)/ 1.6x5 BCS (self-
			8822	tapping) (3) Roof visor/ visor retainer/ visor lens (2)/ 2.6x6 BCS (3)/ 3x4 GS (4)

Page 2 TRX-4 Mercedes-Benz G 500 4x4²: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

Page 2	TRX-4 Mercedes-Benz G 500 4x4 ² : TQi Traxxas Lin	k E
8816	Side marker light housing (2)/ mount (2)/ lens (2)/ 1.6x7 BCS (self-	881
8815	tapping) (2) Side trim, left & right (black)/ side trim retainers (6)/ door handles, left,	808
8814	right, & rear/ door handle mount/ 1.6x5 BCS (self-tapping) (35) Tail light lens (2)/ tail light housing (2)/ tail light housing mount (2)/	808
	reverse lens (2)/ 1.6x5 BCS (4) (left & right)	807
	Body (Tactical Unit)	821
8211 8211X	Body, Tactical Unit (clear, requires painting)/ decals	881
8019	Body, Tactical Unit, night camo (painted)/ decals Fender brace, inner, front & rear	822
8017	Fender flares, front & rear (2 each) (fits #8011 or #8211 body)	824
8018	Fenders, inner, front & rear (2 each)/ rock light covers (8)	823
8020	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8011 body)	821 822
8021	Spare tire mount/ mounting bracket/ screw pins (2)	
	Body (TRX-4 Sport)	828
8112	Body with camper, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet	828
8111R	Body, TRX-4® Sport (clear, trimmed, die-cut for LED light kit,	828
	requires painting)/ window masks/ decal sheet	828 819
8111	Body, TRX-4® Sport (clear, trimmed, requires painting)/ window masks/ decal sheet	828
8113 8120X	Decal sheet, TRX-4® Sport Expedition rack, complete (includes traction boards, shovel, axe,	
8120	jack, fire extinguisher, fuel cans, & mounting hardware) Expedition rack/ mounting hardware	829
8116	Grille/ grille retainers (2)/ grille mount/ lens (2)/ 2.5x8 BCS (6) (fits	827
	#8111 or #8112 body)	827
8119	Mirrors, side (left & right)/ snorkel/ mounting hardware (fits #8111 or #8112 body)	828
8122	Shovel/ axe/ accessory mount/ mounting hardware	
8118	Spare tire mount/ mounting hardware	828
8117	Tailgate panel/ tailgate retainers (2)/ tailgate mount/ tail light lens	829
8121	(2) (left & right)/ 2.5x8 BCS (4) (fits #8111 or #8112 body) Traction boards/ mounting hardware	
0121	Body Accessories	825
1926		
1726	Antenna caps, vinyl (2)/ antenna spool Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	825
1834	Body clips (12) (standard size)	826 826
1834A	Body clips, black (12) (standard size)	020
3934 3934A	Body clips, heavy duty (12)	826
8215	Body clips, heavy duty (black) (12) Body mounts & posts, front & rear (complete set)	0.00
8115	Body posts, front & rear	826
4915	Body washers, foam adhesive (10)	826
2514	Decal sheet, racing sponsors	
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080 narrow inner fenders)	
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/	155
	battery plate/ 3x8 flat-head screws (4)	400
8072	Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery plate/ 3x8 flat-head screws (4)	183 183
9950	Official Team Traxxas® racing decal set (flag logo/ 6-color)	393
	Bumpers & Skidplates	393
8234	Bumper D-Rings, grey (front or rear)/ 2x12 CS (4)	816
8234R	Bumper D-rings, red (front or rear)/ 2.0x12 CS (4)	829
8067	Bumper mounts, front & rear	
8067X	Bumper mounts, front & rear/ bumper mount, rear (offset)	815
8237 8124	Bumper mounts, front & rear/ screw pins (4) Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1)	547
8137	Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2)	364
8235	Bumper, front/ winch	834
8236	Bumper, rear	174
8125	Bumper, rear (176mm wide)	174 174
8136 8820	Bumper, rear (chrome)/ bumper mount/ 3x8 BCS (2) Bumpers, front & rear	198
8821	Skid plate/ 3x10 CCS (4)	322
8238	Skidplate/ lower gear cover	252
	Chassis & Attachments	323
8215	Body mounts & posts, front & rear (complete set)	261 321
8224	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8	261
8058	BCS (5)/ 2.5x8 CS (2) Chassis conversion kit, TRX-4® (long to short wheelbase)	396
0000	(includes rear upper & lower suspension links, front & rear inner	252
	fenders, short female half shaft, battery tray, 3x8mm FCS (4))	829 816
8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear	256
	shock towers, long female half shaft)	257
8220	Chassis rails, 448mm (steel) (left & right)	485

8818	Exhaust pipes (left & right)
8081	Fender extensions (4)/ 3x8 flat-head screws (24) (requires #8080
	narrow inner fenders)
8080	Fenders, inner (narrow), front & rear (2 each)/ rock light covers (8)/
8072	battery plate/ 3x8 flat-head screws (4) Fenders, inner, front & rear (2 each)/ rock light covers (8)/ battery
0072	plate/ 3x8 flat-head screws (4)
8218	Floor pans, left & right
8819	Rock sliders/ rock slider caps (left & right)
8225	Seal kit, receiver box (includes o-ring, seals, and silicone
0040	grease)
8240 8239	Servo mount, 2-speed/ servo mount, T-Lock/ wire clips Servo mount, steering/ chassis crossmember
8216	Shock towers, front & rear (left & right)
8226	Tray, battery
	Differential Components
8281	Carrier, differential / differential slider/ T-Lock fork
8280X	Differential cover, front or rear (chrome-plated)
8280	Differential cover, front or rear (grey)
8280R	Differential cover, front or rear (red)
8195	Differential, locking, front and rear (assembled) (includes T-Lock
0000	cables and servo)
8282	Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2))
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
	(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
	(1) 3x6 BCS with threadlock (1))
8279	Ring gear, differential/ pinion gear, differential
8279R 8287	Ring gear, differential/ pinion gear, differential (machined) Ring gear, differential/ pinion gear, differential (overdrive,
0207	machined)
8288	Ring gear, differential/ pinion gear, differential (underdrive,
	machined)
8297	Spool/ differential housing plug/ e-clip
	Driveline Components
8250	Half shafts, center (internal splined, front (2) & internal splined, rear
	(2)/ external splined (2)/ pin retainer (4)) (plastic parts only)
8255A	Stub axle, extended (portal drive) (2)
8269 8269X	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/
02057	screw pin (4)
8269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-
	anodized) (4)/ screw pin (4)
8269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/
8269R	screw pin (4) Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/
02051	screw pin (4)
	Hardware
1552	Backplate screws (3x8mm cap-head machine) (6)/washers (6)/
1332	wrench
1834	Body clips (12) (standard size)
1834A	Body clips, black (12) (standard size)
3934	Body clips, heavy duty (12)
3934A	Body clips, heavy duty (black) (12)
8167X	Hardware kit, stainless steel, beadlock rings (contains stainless steel hardware for 4 wheels)
8298	Hardware kit, stainless steel, TRX-4® (contains all stainless steel
	hardware used on TRX-4)
8151	Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all
F 476V	stainless steel hardware used on TRX-4® Long Arm Lift Kit)
5476X 3647	Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5mm ball Nuts, 4mm flanged nylon locking (steel, serrated) (8)
8347	Nuts, 4mm flanged nylon locking, serrated (black) (10)
1747R	Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
1747G	Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
1747P	Nuts, aluminum, flanged, serrated (4mm) (pink-anodized) (4)
1985	PTFE-coated washers, 5x8x0.5mm (20) (use with ball bearings)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
2523 3236	Screws, 2.5x10mm countersunk machine (hex drive) (6) Screws, 2.5x12mm cap-head machine (6)
2618	Screws, 2.5x16mm cap-head machine (6)
3215	Screws, 2.5x6mm cap-head machine (b) (6)
2617	Screws, 2.5x8mm button-head machine (hex drive) (6)
3965	Screws, 2.5x8mm cap-head machine (6)
2524	Screws, 2.5x8mm countersunk machine (hex drive) (6)
8299 8167	Screws, 2.6x12mm button-head, self-tapping (hex drive) (6)
8167 2564	Screws, 2x10mm cap-head, self-tapping (hex drive) (10) Screws, 2x8mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
4859	Screws, 3x10mm flat-head machine (hex drive) (4)

Page 3	TRX-4 Mercedes-Benz G 500 4x4 ² : TQi Traxxas Lin	k Enable	ed 2.4GHz Radio (Model 82096-4) Parts List
2578	Screws, 3x12mm button-head machine (hex drive) (6)	8155	Springs, shock, long (natural finish) (GTS) (0.47 rate) (f
2579	Screws, 3x15mm button-head machine (hex drive) (6)		with TRX-4® Long Arm Lift Kit)
2591	Screws, 3x23mm button-head machine (hex drive) (6)	8156	Springs, shock, long (natural finish) (GTS) (0.54 rate, gr
2581 2616	Screws, 3x25mm button-head machine (hex drive) (6) Screws, 3x27mm button-head machine (hex drive) (6)	8157	stripe) (for use with TRX-4® Long Arm Lift Kit) Springs, shock, long (natural finish) (GTS) (0.62 rate, bl
2582	Screws, 3x30mm button-head machine (hex drive) (6)		(for use with TRX-4® Long Arm Lift Kit)
2575	Screws, 3x6mm button-head machine (hex drive) (6)	8146X	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panh
3932	Screws, 3x6mm flat-head machine (hex drive) (6)		5x63mm (blue powder coated steel) (assembled with ho
2576	Screws, 3x8mm button-head machine (hex drive) (6)	8146R	balls) (for use with #8140X TRX-4® Long Arm Lift Kit) Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panh
3931 3933	Screws, 3x8mm flat-head machine (hex drive) (6)	014010	5x63mm (red powder coated steel) (assembled with hol
3933	Screws, 4x16mm button-head machine (hex drive) (6)		(for use with #8140R TRX-4® Long Arm Lift Kit)
	LED Light Accessories	8144X	Suspension link, front upper, 5x68mm (1) (blue powder
8031	3-in-1 wire harness, LED light kit, TRX-4®		steel) (assembled with hollow balls) (for use with #8140 Long Arm Lift Kit)
8089 8028	4-in-2 wire harness, LED light kit, TRX-4® LED lights, power supply (regulated, 3V, 0.5-amp), TRX-4®/ 3-in-1	8144R	Suspension link, front upper, 5x68mm (1) (red powder (
0020	wire harness		steel) (assembled with hollow balls) (for use with #8140
8026	LED rock light kit, TRX-4® (requires #8028 power supply and	0111	Long Arm Lift Kit)
	#8018, #8072, or #8080 inner fenders)	8144	Suspension link, front upper, 5x68mm (1) (steel) (assen hollow balls) (for use with #8140 TRX-4® Long Arm Lift
	LED Lights (1979 Chevrolet Blazer)	8143	Suspension links, front lower (2) (5x104mm, steel) (ass
8039	LED light set (contains headlights, tail lights, side marker lights,		with hollow balls) (for use with #8140 TRX-4® Long Arm
	distribution block (fits #8130 body, requires #8028 power supply)	8143X	Suspension links, front lower, blue (2) (5x104mm, power
8038	LED light set, complete with power supply (contains headlights, tail lights, side marker lights, distribution block, and power		steel) (assembled with hollow balls) (for use with #8140 Long Arm Lift Kit)
	supply) (fits #8130 body)	8143R	Suspension links, front lower, red (2) (5x104mm, powde
	LED Lights (1979 Ford Bronco)		steel) (assembled with hollow balls) (for use with #8140
8036	LED light set (contains headlights, tail lights, side marker lights,		Long Arm Lift Kit)
0000	& distribution block) (fits #8010 body, requires #8028 power	8145	Suspension links, rear lower (2) (5x115mm, steel) (asse with hollow balls) (for use with #8140 TRX-4® Long Arm
	supply)	8145X	Suspension links, rear lower, blue (2) (5x115mm, powd
8035	LED light set, complete with power supply (contains headlights,		steel) (assembled with hollow balls) (for use with #8140
	tail lights, side marker lights, & distribution block) (fits #8010 body)		Long Arm Lift Kit)
8037	LED lights, high/low switch (for #8035 or #8036 LED light kits)	8145R	Suspension links, rear lower, red (2) (5x115mm, powde steel) (assembled with hollow balls) (for use with #8140
	LED Lights (Land Rover Defender)		Long Arm Lift Kit)
9027		8142	Suspension links, rear upper (2) (5x115mm, steel) (asse
8027	LED headlight/tail light kit (fits #8011 body, requires #8028 power supply)		with hollow balls) (for use with #8140 TRX-4® Long Arn
8025	LED light bar (Rigid®), TRX-4 (requires #8028 power supply)	8142X	Suspension links, rear upper, blue (2) (5x115mm, powd
8029	LED light bar kit (Rigid®)/power supply, TRX-4®		steel) (assembled with hollow balls) (for use with #8140 Long Arm Lift Kit)
8030	LED light set, complete (contains rock light kit, LED light bar	8142R	Suspension links, rear upper, red (2) (5x115mm, powde
	(Rigid®), LED headlight/tail light kit, power supply, & 3-in-1 wire harness) (fits #8011 body)		steel) (assembled with hollow balls) (for use with #8140
	LED Lights (TRX-4 Sport)	8172	Long Arm Lift Kit) Tires and wheels, assembled (Method 105 black chrom
0000		0172	beadlock wheels, Canyon Trail 2.2" tires, foam inserts)
8086	LED expedition rack scene light kit (fits #8111 body, requires #8028 power supply)		right)
8084	LED headlight/tail light kit (fits #8111 or #8112 body, requires	8181	Tires and wheels, assembled, glued (TRX-4® Sport whe
	#8028 power supply)	8170	Canyon Trail 2.2 tires) (2) Tires, Canyon Trail 2.2/ foam inserts (2)
8088	LED light bar, front bumper (fits #8124 front bumper, requires	8171	Wheels, Method 105 2.2" (black chrome, beadlock) (bea
8087	#8028 power supply) LED light bar, roof lights (fits #8111 body, requires #8028 power	••••	rings sold separately)
0001	supply)	8171A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (bea
8085	LED light set, complete with power supply (contains headlights,	0400	rings sold separately)
	tail lights, & distribution block) (fits #8111 or #8112 body)	8180	Wheels, TRX-4® Sport 2.2 (2)
	Long Arm Lift Kit		Motors & Electronics
8162X	Body, GTS shock, long (aluminum, blue-anodized) (1) (for use	1926	Antenna caps, vinyl (2)/ antenna spool
04005	with #8140X TRX-4® Long Arm Lift Kit)	1726 2262	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) BEC, complete (includes receiver box cover and seals)
8162R	Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit)	2064	Gear set (for 2065 waterproof sub-micro servo)
8162	Body, GTS shock, long (silver aluminum) (1) (for use with #8140	2064X	Gear set, metal (for 2065X waterproof sub-micro servo)
	TRX-4® Long Arm Lift Kit)	2072X	Gear set, metal (for 2070, 2075 servos)
8148	Cable, T-lock (extra long) (for use with TRX-4® Long Arm Lift Kit)	2252	Gear set, metal (for 2250, 2255 servos)
8147	Cable, T-lock (medium) (for use with TRX-4® Long Arm Lift Kit)	2072R	Gear set, metal, high speed (for 2070, 2075 servos)
8150	Driveshaft extension kit, center (includes internal splined, x-long (2), internal splined, long (1) and internal splined, medium (1))	8290X 8290A	Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-ar Motor mount plate, TRX-4®, 6061-T6 aluminum (charco
	(for use with TRX-4® Long Arm Lift Kit)	0200/1	anodized)
8140	Long Arm Lift Kit, TRX-4®, complete	8290G	Motor mount plate, TRX-4®, 6061-T6 aluminum (green-a
8140X	Long Arm Lift Kit, TRX-4®, complete (includes blue powder	8290R	Motor mount plate, TRX-4®, 6061-T6 aluminum (red-and
8140R	coated links, blue-anodized shocks) Long Arm Lift Kit, TRX-4®, complete (includes red powder	3975R	Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
01-1011	coated links, red-anodized shocks)	8290 2254	Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 225
8149	Rod ends, extended (standard (4), angled (4))/ hollow balls (8)	2253	Servo case, aluminum (red-anodized) (middle) (for 225
	(for use with TRX-4® Long Arm Lift Kit)	2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hard
8141 8161	Servo mount, steering (for use with TRX-4® Long Arm Lift Kit)		2250, 2255 servos)
8161	Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit)	2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)
8160X	Shocks, GTS, aluminum (blue-anodized) (assembled without	2063X	Servo case/gaskets (for 2065X metal gear, waterproof, servo)
		5660	Servo horn (with built-in spring and hardware) (for Summit
	springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit)	5669	Serve norm (with built-in spring and hardware) nor Summin
8160R	Shocks, GTS, aluminum (red-anodized) (assembled without		differential)
		2075R	

55	Springs, shock, long (natural finish) (GTS) (0.47 rate) (for use with TRX-4® Long Arm Lift Kit)
56	Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit)
57	Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit)
46X	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
46R	Steering link, 5x117mm (1)/ draglink, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls)
44X	(for use with #8140R TRX-4® Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
44R	Suspension link, front upper, 5x68mm (1) (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4®
44	Long Arm Lift Kit) Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
43	Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
43X	Suspension links, front lower, blue (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
43R	Suspension links, front lower, red (2) (5x104mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
45	Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
45X	Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
45R	Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
42	Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
42X	Suspension links, rear upper, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit)
42R	Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)
72	Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right)
81	Tires and wheels, assembled, glued (TRX-4® Sport wheels, Canyon Trail 2.2 tires) (2)
70	Tires, Canyon Trail 2.2/ foam inserts (2)
71	Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately)
71A	Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock rings sold separately)
80	Wheels, TRX-4® Sport 2.2 (2)
	Motors & Electronics
26	Antenna caps, vinyl (2)/ antenna spool
26	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
:62	BEC, complete (includes receiver box cover and seals)
)64) 64X	Gear set (for 2065 waterproof sub-micro servo)
72X	Gear set, metal (for 2065X waterproof sub-micro servo) Gear set, metal (for 2070, 2075 servos)
252	Gear set, metal (for 2250, 2255 servos)
72R	Gear set, metal, high speed (for 2070, 2075 servos)
90X	Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized)
90A	Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray- anodized)
90G	Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized)
90R	Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized)
975R	Motor, Titan® 550, reverse rotation (21-turns/ 14 volts) (1)
290 2 54	Plate, motor/ upper spur gear cover Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)
:54 :53	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo) Servo case, aluminum (red-anodized) (middle) (for 2255 servo)
251	Servo case, auminum (red-anodized) (middle) (for 2255 servo) Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos)
63	Servo case/gaskets (for 2065 waterproof sub-micro servo)
63X	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo)
69	Servo horn (with built-in spring and hardware) (for Summit locking differential)
75R	Servo, digital high-speed, metal gear (ball bearing), waterproof

Page 4 TRX-4 Mercedes-Benz G 500 4x4²: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

2250	Servo, digital high-torque 330 coreless, metal gear (ball bearing),	2250
2250	waterproof (#2262 external BEC and #8247X metal servo horn	2250
	recommended for optimal performance)	
2255	Servo, digital high-torque 400 brushless, metal gear (ball	2255
	bearing), waterproof (#2262 external BEC and #8247 steel servo	
	horn recommended for optimal performance)	
2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	2075X
2065	Servo, sub-micro, waterproof	2065
2065X	Servo, sub-micro, waterproof, metal gear	2065X
3025	XL-5HV 3s Electronic Speed Control, waterproof (low-voltage	6553X
	detection, fwd/rev/brake)	6550X
2261	Y-harness, BEC	
	Radio System, Batteries & Chargers	6550
29.40 ¥		6551X
2849X	4000mAh 11.1v 3-Cell 25C LiPo Battery	
2872X	5000mAh 11.1v 3-Cell 25C LiPo Battery	6530
2842X	5000mAh 7.4v 2-Cell 25C LiPo Battery	
2843X	5800mAh 7.4v 2-Cell 25C LiPo Battery	6511
2869X	7600mAh 7.4v 2-Cell 25C LiPo Battery	2261
2976	AC to DC converter, 40W	
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas iD batteries	82096-
4700	to separate balance ports)	02090-
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)	
2943	Battery charge indicators (green (4), blue (4), grey (4))	
6548	Battery door, transmitter (replacement for #6516, 6517, 6528, 6529,	
	6530 transmitters)	8120X
8222	Battery strap, TRX-4® (for 2200 2-cell and 1400 3-cell LiPo	
0044	batteries)	8022T
2914	Battery, Power Cell AA Alkaline (4)	8022R
2923X	Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V)	8022
2940X	Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V)	8022X
2950X	Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V)	8022A
2960X	Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V)	8023T
2983	Battery/charger completer pack (includes #2969 2-amp NiMH	8023
	peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH	8122
	battery (1))	8121
2992	Battery/charger completer pack (includes #2970 iD® charger (1),	
	#2843X 5800mAh 7.4V 2-cell 25C LiPo battery (1))	
2994	Battery/charger completer pack (includes #2970 iD® charger (1),	8266
	#2849X 4000mAh 11.1v 3-Cell 25C LiPo Battery (1))	8266X
2995	Battery/charger completer pack (includes #2970 iD® charger (1),	8266A
	#2869X 7600mAh 7.4V 2-cell 25C LiPo battery (1))	8266G
2991	Battery/charger completer pack (includes #2972 Dual iD®	8266R
0000	charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo battery (2))	8264
2262	BEC, complete (includes receiver box cover and seals)	
2975	Charger, DC, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH)	8274
2972	Charger, EZ-Peak® Dual, 100W, NiMH/LiPo with iD® Auto Battery	5475
2072	Identification	8261
2973	Charger, EZ-Peak® Live Dual, 200W, NiMH/LiPo with iD® Auto Battery Identification	8262
2971		
29/1	Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification	8263
2070	Charger, EZ-Peak® Plus, 4 amp, NiMH/LiPo with iD® Auto	8263T
2970	Battery Identification	8260X
6525	Communication link, telemetry expander	
6512	Cover plate, Traxxas Link™ Wireless Module	8260A
2978	Fuse, charger, 5A (2) (for #2974, 2975, 2977)	
2064	Gear set (for 2065 waterproof sub-micro servo)	8260G
	Gear set, metal (for 2065X waterproof sub-micro servo)	
2064X		8260R
2072X	Gear set, metal (for 2070, 2075 servos)	
2252	Gear set, metal (for 2250, 2255 servos)	8260
2072R	Gear set, metal, high speed (for 2070, 2075 servos)	1666
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for	
	Traxxas® iD® batteries)	
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for	8292
0504	Traxxas® iD® batteries)	8286
6561	Mount, telemetry expander (fits TRX-4®)	8254
6535	Mount, temperature sensor (electric motors)/ wire tie/ thermal	
6522	pad	8249
6533	Receiver, micro, TQi 2.4GHz with telemetry & TSM (5-channel)	
6552	Seal kit, expander box (includes o-ring, seals, and silicone	8042
6500	grease) Sensor suite detectable termoveture	8042
6526	Sensor, auto-detectable, temperature	
6527	Sensor, auto-detectable, voltage	8044 8041
6521	Sensor, temperature and voltage (long)	8041
2254	Servo case, aluminum (blue-anodized) (middle) (for 2250 servo)	8040
2253	Servo case, aluminum (red-anodized) (middle) (for 2255 servo)	8045
2251	Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for	
	2250, 2255 servos)	6746
2063	Servo case/gaskets (for 2065 waterproof sub-micro servo)	6747
2063X		
2000/	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro	
2075R	Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) Servo, digital high-speed, metal gear (ball bearing), waterproof	3942X

250	Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance)
255	Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247 steel servo horn recommended for optimal performance)
0752	• • •
075X	Servo, digital high-torque, metal gear (ball bearing), waterproof
065	Servo, sub-micro, waterproof
065X	Servo, sub-micro, waterproof, metal gear
553X	Telemetry expander 2.0 and GPS module 2.0, TQi radio system
550X	Telemetry expander 2.0, TQi radio system (compatible only with #6551X GPS module)
550	Telemetry expander, TQi radio system
551X	Telemetry GPS module 2.0, TQi radio system (compatible only
	with #6550X telemetry expander)
530	Transmitter, TQi Traxxas Link™ enabled, 2.4GHz high output, 4-
	channel (transmitter only)
511	Traxxas Link™ Wireless Module
261	Y-harness, BEC
	Ready-To-Race Model
2006 4	
2096-4	TRX-4® Scale and Trail® Crawler with Mercedes-Benz® G 500® Body: 4WD Electric Trail Truck with TQi Traxxas Link™ Enabled
	2.4GHz Radio System
	Scale Details
120X	Expedition rack, complete (includes traction boards, shovel, axe,
-	jack, fire extinguisher, fuel cans, & mounting hardware)
022T	Fuel canisters (black) (2)/ 3x8 FCS (1)
022R	Fuel canisters (blue) (2)/ 3x8 FCS (1)
022	Fuel canisters (red) (2)/ 3x8 FCS (1)
022X	Fuel canisters (white) (2)/ 3x8 FCS (1)
022A	Fuel canisters (vellow) (2)/ 3x8 FCS (1)
022A 023T	
	Jack (black) (1)/ 2x8 BCS (1)
023	Jack (red) (1)/ 2x8 BCS (1)
122	Shovel/ axe/ accessory mount/ mounting hardware
121	Traction boards/ mounting hardware
	Shocks (GTS)
266	Body, GTS shock (aluminum, silver-anodized) (1)
266X	Body, GTS shock (hard-anodized, PTFE-coated aluminum) (1)
	··· ·······················
266A	Body, GTS shock, aluminum (blue-anodized) (1)
266A 266G	Body, GTS shock, aluminum (blue-anodized) (1) Body, GTS shock, aluminum (green-anodized) (1)
266G	Body, GTS shock, aluminum (green-anodized) (1)
266G 266R	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1)
266G	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/
266G 266R 264	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2))
266G 266R 264 274	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)
266G 266R 264 274 475	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic)
266G 266R 264 274 475 261	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8)
266G 266R 264 274 475	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips,
266G 266R 264 274 475 261 262	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends)
266G 266R 264 274 475 261 262 263	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2)
266G 266R 264 274 475 261 262 263 263 263T	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2)
266G 266R 264 274 475 261 262 263	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with
266G 266R 264 274 475 261 262 263 263 263T 260X	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock s, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2)
266G 266R 264 274 475 261 262 263 263 263T	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TIN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring
266G 266R 264 475 261 262 263 263T 260X 260A	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
266G 266R 264 274 475 261 262 263 263 263T 260X	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
266G 266R 264 274 475 261 262 263 263T 260X 260A 260G	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2)
266G 266R 264 475 261 262 263 263T 260X 260A	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
266G 266R 264 475 261 262 263 263T 260X 260A 260G 260R	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2)
266G 266R 264 475 261 262 263 263T 260X 260A 260G 260R 260R 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TIN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
266G 266R 264 475 261 262 263 263T 260X 260A 260G 260R	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TIN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
266G 266R 264 475 261 262 263 263T 260X 260A 260G 260R 260R 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TIN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
266G 266R 264 475 261 262 263 263T 260X 260A 260G 260R 260R 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TIN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2)
266G 266R 264 475 261 262 263 263T 260X 260A 260A 260G 260R 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks and the spring retainers) (2)
266G 266R 264 475 261 262 263 263T 260X 260A 260G 260R 260R 260 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TIN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks (30 wt)
266G 266R 264 274 475 261 262 263 263T 260X 260A 260G 260R 260G 260R 260 260 260 260 260 260 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Silicone shock oil (30 wt) Slipper Clutch Components Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL
266G 266R 264 274 475 261 262 263 263T 260X 260A 260G 260R 260G 260R 260 260 260 260 260 260 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, sliver aluminum (assembled with spring retainers) (2) Slipper Cliftch Conjointents Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1))
266G 266R 264 274 475 261 262 263 263T 260X 260A 260G 260G 260G 260G 260G 286 292 286 254	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, sliver aluminum (assembled with spring retainers) (2) Slijping the full ch Connition (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) Slipper eliminator plate
266G 266R 264 274 475 261 262 263 263T 260X 260A 260A 260G 260R 260 260 260 260 260 260 260 260 260 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (assembled with spring retainers) (2) Shocks, GTS, sliver aluminum (assembled with spring retainers) (2) Shocks (1) (1) (1) (1) (1) (
266G 266R 264 274 475 261 262 263 263T 260X 260A 260G 260G 260G 260G 260G 286 292 286 254	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, sliver aluminum (assembled with spring retainers) (2) Shocks, GTS, sliver a
266G 266R 264 274 475 261 262 263 263T 260X 260A 260A 260G 260R 260 260 260 260 260 260 260 260 260 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (assembled with spring retainers) (2) Shocks, GTS, sliver aluminum (assembled with spring retainers) (2) Shocks (3) (3) (3) (3) (3) (
266G 266R 264 274 475 261 262 263 263T 260X 260A 260A 260G 260R 260 260 260 260 260 260 260 260 260 260	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, sliver aluminum (assembled with spring retainers) (2) Shocks, GTS, sliver a
266G 266R 264 274 475 261 262 263 263T 260X 260A 260G 260G 260R 260 260 260 260 260 286 254 286 254 249 042 043	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Silicone shock oil (30 wt) Silipper Cliftch Commonstant Output shaft (transmission) Output shaft (transmission) Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) Slipper eliminator plate Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2)
266G 266R 264 274 475 261 262 263 263T 260X 260A 260G 260R 260G 2860 292 286 254 292 284 249 042 043 044	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Silicone shock oil (30 wt) Slipper eliminator plate Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2)
266G 266R 264 274 475 261 262 263 263T 260X 260A 260A 260G 260R 260R 260 286 286 254 292 286 254 249 042 043 044 041	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Silicone shock oil (30 wt) <u>SIIIII OF CHITCH CONTINIENTEN</u> Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) Slipper eliminator plate <u>Springs</u> , shock (natural finish) (GTS) (0.30 rate, white stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2)
266G 266R 264 274 475 261 262 263 263T 260X 260A 260A 260G 260R 260 260R 260 260 260 292 286 254 249 042 043 044 041 040	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TIN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Silicone shock oil (30 wt) Slipper CliftCh Connitornents Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) Slipper eliminator plate Springs , shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2)
266G 266R 264 274 475 261 262 263 263T 260X 260A 260A 260G 260R 260R 260 292 286 254 249 042 043 044 041 040 045	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, sliver aluminum (assembled with spring retainers) (2) Silicone shock oil (30 wt) Slipper CliftCh Commonstant Noutput shaft/ output shaft (transmission) Output shaft/ output shaft (transmission) Output shaft/ output shaft (transmission) Output shaft/ output shaft (transmission) Silipper eliminator plate Springs , shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) blue stripe) (2)
266G 266R 264 274 475 261 262 263 263T 260X 260A 260A 260G 260R 260 260 260 292 286 254 249 042 043 044 041 040 045 746	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Silicone shock oil (30 wt) SINDET CHILCH CONTINENTIAL Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) Slipper eliminator plate SINTINGS Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)
266G 266R 264 274 475 261 262 263 263T 260X 260A 260A 260G 260R 260R 260 292 286 254 249 042 043 044 041 040 045	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, sliver aluminum (assembled with spring retainers) (2) Silicone shock oil (30 wt) Slipper CliftCh Commonstant Noutput shaft/ output shaft (transmission) Output shaft/ output shaft (transmission) Output shaft/ output shaft (transmission) Output shaft/ output shaft (transmission) Silipper eliminator plate Springs , shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.45 rate) blue stripe) (2)
266G 266R 264 274 475 261 262 263 263T 260X 260A 260A 260G 260R 260 260 260 292 286 254 249 042 043 044 041 040 045 746	Body, GTS shock, aluminum (green-anodized) (1) Body, GTS shock, aluminum (red-anodized) (1) Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) Multi-tool (plastic) Piston, damper (red) (4)/ e-clips (8) Rebuild kit, GTS shocks (x-rings, o-rings, pistons, bushings, e-clips, and rod ends) Shock shaft, 3x47mm (GTS) (2) Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) Shocks, GTS, aluminum (blue-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (green-anodized) (assembled with spring retainers) (2) Shocks, GTS, aluminum (red-anodized) (assembled with spring retainers) (2) Shocks, GTS, silver aluminum (assembled with spring retainers) (2) Silicone shock oil (30 wt) SINDET CHILCH CONTINENTIAL Input shaft/ output shaft (transmission) Output shafts (transfer case), front & rear Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (4), metal washer (1)) Slipper eliminator plate SINTINGS Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) Springs, shock (natural finish) (GTS) (0.45 rate) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.54 rate, green stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2)

Page 5 TRX-4 Mercedes-Benz G 500 4x4²: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

Page 5	TRX-4 Mercedes-Benz G 500 4x4 ² : TQi Traxxas Lin	k Ena
3943X	Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel)/	
3944X	set screw Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel)/	8169T
20457	set screw	8168T 8169X
3945X	Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8168X
3946X	Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8169G 8168G
3947	Gear, 17-T pinion (32-p) (mach. steel)/ set screw	8169A
3947X	Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8168A 8169R
3948X	Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel)/	8168R
3949X	set screw Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel)/	8169 8168
3950X	set screw Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel)/	8873
	set screw	8164
3951X	Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel)/ set screw	8176
3952X	Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel)/	
6745	set screw Gear, 9-T pinion (32-p) (steel)/ set screw	8174
8052	Spur gear, 39-tooth (TRX-4®)	0470
8053	spur gear, 45-tooth (TRX-4®) Steering Components	8172
8232	Caster blocks (portal drive), left & right/ kingpin bushings (4)	
8232X	Caster blocks, 6061-T6 aluminum (blue-anodized), left and right	8166
8232A	Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left	· ·
8232G	and right Caster blocks, 6061-T6 aluminum (green-anodized), left and right	8177
8232R	Caster blocks, 6061-T6 aluminum (red-anodized), left and right	
2072X	Gear set, metal (for 2070, 2075 servos)	8872
2072R 8274	Gear set, metal, high speed (for 2070, 2075 servos) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer	8273
8275	adjustment shims; 3.5mm (2), 1.17mm (2) Rod end set, complete (standard (10), angled 10-degrees (8), offset	8272X
8276	(4)) Rod ends (10)	8179
8277	Rod ends, angled 10-degrees (8)	8181
2742 8278	Rod ends, long (6)/ hollow ball connectors (6) Rod ends, offset (4)	0101
8247	Servo horn, steering	8272
8247X 2075R	Servo horn, steering, metal/ 3x14 BCS (1) Servo, digital high-speed, metal gear (ball bearing), waterproof	8270
2075K 2075X	Servo, digital high-torque, metal gear (ball bearing), waterproof	8170
5529	Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls,	8269
8246	captured (4) Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel)	8269X
8243	Suspension link, front, 5x100mm (lower) (steel) (2)	
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8269A
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	8269G
8058	Chassis conversion kit, TRX-4® (long to short wheelbase)	8269R
	(includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4))	8165
8057	Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear	8175
8274	shock towers, long female half shaft) Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated)	8173
5355	Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2)	8173A
8275	Rod end set, complete (standard (10), angled 10-degrees (8), offset (4))	8171
8276	Rod ends (10)	
8277	Rod ends, angled 10-degrees (8)	8171A
2742	Rod ends, long (6)/ hollow ball connectors (6)	8268
8278 5529	Rod ends, offset (4) Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4)	8271 8271X
8243	captured (4) Suspension link, front, 5x100mm (lower) (steel) (2)	8178
8244	Suspension link, front, 5x63mm (upper) (steel) (2)	8180
8245	Suspension link, rear, 5x121mm (upper or lower) (steel) (2)	
	Team Traxxas Items	
2514	Decal sheet, racing sponsors	8283 8284
6160X	DVD, Maxx® Power! Full Throttle Action (sleeve)	8284 8195
9950 9909	Official Team Traxxas® racing decal set (flag logo/ 6-color) Traxxas® racing banner, red & black (3x7 feet)	
		8289 8293X

	Tires & Wheels
8169T	Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
8168T	Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
169X	Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
3168X 3169G	Beadlock rings, green (1.9") (aluminum) (4)/ 2x10 CS (46)
168G	Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
3169A	Beadlock rings, orange (1.9") (aluminum) (4)/ 2x10 CS (48)
8168A	Beadlock rings, orange (2.2") (aluminum) (4)/ 2x10 CS (48)
169R	Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
8168R 8169	Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48) Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
168	Beadlock rings, satin (2.2") (aluminum) (4)/ 2x10 CS (48)
873	Center caps, Mercedes-Benz® G 500® wheel (black) (4) (requires #8255A extended stub axle)
3164	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)
8176	Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended stub axle)
8174	Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 1.9" tires, foam inserts) (1 left, 1 right)
8172	Tires and wheels, assembled (Method 105 black chrome beadlock wheels, Canyon Trail 2.2" tires, foam inserts) (1 left, 1 right) (for use with TRX-4 Long Arm Lift Kit)
3166	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)
8177	Tires and wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 1.9 tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle)
872	Tires and wheels, assembled, glued (2.6" black, satin chrome-plated Mercedes-Benz® G 500® wheels, 2.6" tires) (2)/ center caps (2) (requires #8255A extended stub axle)
3273	Tires and wheels, assembled, glued (Tactical wheels, Canyon Trail 1.9 tires) (2)
3272X	Tires and wheels, assembled, glued (TRX-4® satin beadlock wheels, Canyon Trail 1.9 tires) (2)
8179	Tires and wheels, assembled, glued (TRX-4® Sport wheels, Canyon Trail 1.9 tires) (2)
8181	Tires and wheels, assembled, glued (TRX-4 Sport wheels, Canyon Trail 2.2 tires) (2) (for use with TRX-4 Long Arm Lift Kit)
3272 3270	Tires and wheels, assembled, glued (TRX-4® wheels, Canyon Trail 1.9 tires) (2) Tires, Canyon Trail 1.9 (S1 compound)/ foam inserts (2)
3170	Tires, Canyon Trail 2.2/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)
3269 3 269X	Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) (fits TRX-4®) Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ screw pin (4)
269A	Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray- anodized) (4)/ screw pin (4)
269G	Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ screw pin (4)
269R	Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ screw pin (4)
3165	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) Wheels 4.9", obvious (2)/ center caps (2)/ decal sheet (requires
8175 8173	Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended stub axle) Wheels, Method 105 1.9" (black chrome, beadlock) (beadlock
8173A	rings sold separately) Wheels, Method 105 1.9" (charcoal gray, beadlock) (beadlock
8171	rings sold separately) Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock
8171A	rings sold separately) (for use with TRX-4 Long Arm Lift Kit) Wheels, Method 105 2.2" (charcoal gray, beadlock) (beadlock
268	rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
8268 8271	Wheels, Tactical 1.9 (2) Wheels, TRX-4® 1.9 (2)
271X	Wheels, TRX-4® 1.9 (satin beadlock) (2)
8178	Wheels, TRX-4® Sport 1.9 (2)
8180	Wheels, TRX-4 Sport 2.2 (2) (for use with TRX-4 Long Arm Lift Kit)
	Transmission Components
3283	Cable, T-lock (front)
3284	Cable, T-lock (rear)
8195	Differential, locking, front and rear (assembled) (includes T-Lock cables and servo)
3289	Drive hub. 2-speed/ shift dog/ shift fork/ 2-speed linkage

Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x10.3 pins (5))

8293X

Page 6 TRX-4 Mercedes-Benz G 500 4x4²: TQi Traxxas Link Enabled 2.4GHz Radio (Model 82096-4) Parts List

8291	Gearbox housing (includes main housing, front housing, & cover)
8285	Gears, transfer case (3)
5041	Grease, premium high performance (20cc)
8292	Input shaft/ output shaft (transmission)
8290X	Motor mount plate, TRX-4®, 6061-T6 aluminum (blue-anodized)
8290A	Motor mount plate, TRX-4®, 6061-T6 aluminum (charcoal gray- anodized)
8290G	Motor mount plate, TRX-4®, 6061-T6 aluminum (green-anodized)
8290R	Motor mount plate, TRX-4®, 6061-T6 aluminum (red-anodized)
8295	Output drive, transmission or differential (pin retainer (1)/ drive cup
	(1)/ drive ball (1)/ drive pin (1)/ 3x11 screw pin (1)/ cross pin (black)
0004	(1) 3x6 BCS with threadlock (1))
8294	Output gear, high range, 24T (metal)
8286	Output shafts (transfer case), front & rear
8290	Plate, motor/ upper spur gear cover
8249	Slipper eliminator plate
8296	Transmission gears, single speed, metal
8196	Two speed conversion kit
	Traxxas Tools
3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)

- 3436 Cap, body reamer
- Scissors, curved tip 3432
- 3431 Scissors, straight tip
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/ 4mm, 5mm, 5.5mm, 7mm and 8mm nut drivers/ 2mm, 4mm, and 5mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrench/ driver handle

If you have questions or need technical assistance, call Traxxas at:



(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com TRAXXAS.COM