



# TRX-4M™ 1/18 1979 Chevrolet® K10 High Trail Edition™ (Model 97064-1) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Axle Components		Chassis & Attachments	
9787-BLUE	Axle cover, 6061-T6 aluminum (blue-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9727	Battery strap
9787-GRAY	Axle cover, 6061-T6 aluminum (dark titanium-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9836	Bumper mount (front (1)/ rear (1))
9787-GRN	Axle cover, 6061-T6 aluminum (green-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	9822	Chassis rails, 220mm (steel) (left & right)
9787-ORNG	Axle cover, 6061-T6 aluminum (orange-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	<b>9739-BLUE</b>	<b>Servo mount, 6061-T6 aluminum (blue-anodized)</b>
9787-RED	Axle cover, 6061-T6 aluminum (red-anodized) (2)/ 1.6x12mm BCS (with threadlock) (8)	<b>9739-GRAY</b>	<b>Servo mount, 6061-T6 aluminum (dark titanium-anodized)</b>
<b>9787</b>	<b>Axle cover, brass (8 grams each) (2)/ 1.6x12mm CS (with threadlock) (8)</b>	<b>9739-GRN</b>	<b>Servo mount, 6061-T6 aluminum (green-anodized)</b>
<b>9738-BLKCR</b>	<b>Axle cover, front or rear (black chrome) (2)</b>	<b>9739-ORNG</b>	<b>Servo mount, 6061-T6 aluminum (orange-anodized)</b>
9738	Axle cover, front or rear (black) (2)	<b>9739-RED</b>	<b>Servo mount, 6061-T6 aluminum (red-anodized)</b>
<b>9738-BLUE</b>	<b>Axle cover, front or rear (blue) (2)</b>	9739	Servo mount, steering/ servo horn
<b>9738-GRAY</b>	<b>Axle cover, front or rear (gray) (2)</b>	9826	Shock mounts (front & rear)/ trailer hitch (extended)
<b>9738-RED</b>	<b>Axle cover, front or rear (red) (2)</b>	<b>9766</b>	<b>Skidplate, chassis (stainless steel)</b>
<b>9738-SATIN</b>	<b>Axle cover, front or rear (satin chrome) (2)</b>	<b>Driveline Components</b>	
9741	Axle housing, front & rear	9855	Driveshafts, center, assembled (front & rear) (fits 1/18 scale vehicles with long wheelbase)
<b>9729X</b>	<b>Axle shaft, front (hardened steel) (1)</b>	<b>9752-BLUE</b>	<b>Driveshafts, center, female, 6061-T6 aluminum (blue-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>
<b>9730X</b>	<b>Axle shaft, rear (hardened steel) (1)</b>	<b>9752-GRAY</b>	<b>Driveshafts, center, female, 6061-T6 aluminum (dark titanium-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>
<b>9756</b>	<b>Axle shafts, front (2), rear (2)/ stub axles, front (2) (hardened steel)/ 1.5x7.8mm pins (2)/ 1.5x6mm pins (4)/ cross pins (2)</b>	<b>9752-GRN</b>	<b>Driveshafts, center, female, 6061-T6 aluminum (green-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>
9729	Axle shafts, front, outer (2)	<b>9752-ORNG</b>	<b>Driveshafts, center, female, 6061-T6 aluminum (orange-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>
9730	Axle shafts, rear, outer (2)	<b>9752-RED</b>	<b>Driveshafts, center, female, 6061-T6 aluminum (red-anodized) (front &amp; rear) (for use with #9751 metal center driveshafts)</b>
9743	Axle, front (assembled)/ M2.5x0.45 NL (2)	<b>9751-BLUE</b>	<b>Driveshafts, center, male (steel) (4)/ driveshafts, center, female, 6061-T6 aluminum (blue-anodized) (front &amp; rear)/ 1.6x7mm BCS (with threadlock) (4)</b>
9744	Axle, rear (assembled)/ M2.5x0.45 NL (2)	<b>9751-GRAY</b>	<b>Driveshafts, center, male (steel) (4)/ driveshafts, center, female, 6061-T6 aluminum (dark titanium-anodized) (front &amp; rear)/ 1.6x7mm BCS (with threadlock) (4)</b>
<b>9779</b>	<b>Gears, axle (metal, front &amp; rear)</b>	<b>Hardware</b>	
<b>9754</b>	<b>Rebuild kit, constant-velocity driveshaft (includes pins for 2 driveshaft assemblies) (for front driveshafts or #9751 metal center driveshafts)</b>	9746	Hardware kit, complete (contains all hardware used on 1/18-scale TRX-4M™) (includes clear plastic storage container)
9777	Ring gear, axle (2)/ pinion gear, axle (2)	<b>9746X</b>	<b>Hardware kit, stainless steel, complete (contains all stainless steel hardware used on 1/18-scale TRX-4M™) (includes body hardware and clear plastic storage container)</b>
<b>9765</b>	<b>Skidplate, axle, front or rear (stainless steel) (2)</b>	<b>Motors &amp; Electronics</b>	
9753	Stub axle, front (2)/ cross pins (2)/ drive pins (4)	9785	ECM-2.5 Electronic Control Module, waterproof (low voltage detection, fwd/rev/brake)
<b>9753X</b>	<b>Stub axle, front (hardened steel) (1)</b>	<b>2064R</b>	<b>Gear set, metal (for 2065R waterproof sub-micro servo)</b>
<b>Bearings &amp; Bushings</b>		<b>9793-BLUE</b>	<b>Heat sink, Titan® 87T motor (6061-T6 aluminum, blue-anodized)</b>
<b>9745X</b>	<b>Ball bearing kit, black rubber sealed, complete (3x6x2.5mm (8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))</b>	<b>9793-GRAY</b>	<b>Heat sink, Titan® 87T motor (6061-T6 aluminum, dark titanium-anodized)</b>
<b>9745R</b>	<b>Ball bearing kit, transmission, black rubber sealed (contains 3x6x2.5mm bearings (6))</b>	<b>9793-GRN</b>	<b>Heat sink, Titan® 87T motor (6061-T6 aluminum, green-anodized)</b>
9745	Bushing kit, self-lubricating, complete (3x6x2.5mm (8), 5x8x2.5mm (4), 4x8x3mm (4), 8x12x3.5mm (2), 3.5x7x2.5mm (4))	<b>9793-ORNG</b>	<b>Heat sink, Titan® 87T motor (6061-T6 aluminum, orange-anodized)</b>
<b>Body &amp; Accessories (1979 Chevrolet® K10 Truck)</b>		<b>9793-RED</b>	<b>Heat sink, Titan® 87T motor (6061-T6 aluminum, red-anodized)</b>
<b>9811</b>	<b>Body, Chevrolet K10 Truck (1979), complete (unassembled) (white, requires painting) (includes grille, side mirrors, door handles, roll bar, windshield wipers, &amp; clipless mounting) (requires #9835 front &amp; rear bumpers)</b>	9775	Motor, Titan® 87T (87-turn, 180 size)/ pinion gear, 11-tooth (metal)
9811-BLK	Body, Chevrolet K10 Truck (1979), complete, black (includes grille, side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)	2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
9811-BLUE	Body, Chevrolet K10 Truck (1979), complete, blue (includes grille, side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)	<b>9740</b>	<b>Servo horn (metal)</b>
9811-RED	Body, Chevrolet K10 Truck (1979), complete, red (includes grille, side mirrors, door handles, roll bar, windshield wipers, & clipless mounting) (requires #9835 front & rear bumpers)	2065T	Servo, sub-micro, waterproof
9827	Decal sheet, Chevrolet K10 Truck (1979)	<b>2065R</b>	<b>Servo, sub-micro, waterproof, metal gear</b>
9817	Door handles (left & right)/ mirrors, side (left & right)/ windshield wipers (fits #9811 body)	<b>Radio System, Batteries &amp; Chargers</b>	
9820	Front grille/ tailgate panel/ LED lenses (rear, left, & right) (fits #9811 body)	2821	750mAh 7.4V 2-Cell 20C LiPo Battery
9813	Latch, body mount, front (1)/ rear (1) (for clipless body mounting) (attaches to #9811 body)	<b>2914</b>	<b>AA 4PK</b>
9818	LED lenses, body, front & rear (complete set) (fits #9811 body)	9767	Charger, iD® Balance, USB (2-cell 7.4 volt LiPo with iD® connector only)
9814	Windows, body (fits #9811 body)	2064A	Gear set (for 2065A waterproof sub-micro servo)
<b>9814X</b>	<b>Windows, body (tinted) (fits #9811 body)</b>	<b>2064R</b>	<b>Gear set, metal (for 2065R waterproof sub-micro servo)</b>
<b>Bumpers &amp; Skidplates</b>		2063A	Servo case/gaskets (for 2065A waterproof sub-micro servo)
9836	Bumper mount (front (1)/ rear (1))	<b>9740</b>	<b>Servo horn (metal)</b>
9835	Bumper, front (1)/ rear (1)	2065T	Servo, sub-micro, waterproof
<b>9765</b>	<b>Skidplate, axle, front or rear (stainless steel) (2)</b>	<b>2065R</b>	<b>Servo, sub-micro, waterproof, metal gear</b>
<b>9766</b>	<b>Skidplate, chassis (stainless steel)</b>	<b>Ready-To-Race Model</b>	
		97064-1	TRX-4M™ Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 1/18-Scale 4WD Electric Truck with TQ 2.4GHz Radio System

### Scale Accessories

9796	Trailer hitch (assembled)/ trailer coupler/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)/ 1.6x10mm BCS (self-tapping) (1)
9797	Trailer wheels (2)/ tires (2)/ mounting hardware
9795	Utility trailer/ trailer hitch (assembled)/ 3mm spring pre-load spacers (2)/ 2.5x8mm BCS (2)

### Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

### Shocks

9763-BLUE	Body, GTM shock, 6061-T6 aluminum (blue-anodized) (includes spring pre-load spacers) (2)
9763-GRAY	Body, GTM shock, 6061-T6 aluminum (dark titanium-anodized) (includes spring pre-load spacers) (2)
9763-GRN	Body, GTM shock, 6061-T6 aluminum (green-anodized) (includes spring pre-load spacers) (2)
9763-ORNG	Body, GTM shock, 6061-T6 aluminum (orange-anodized) (includes spring pre-load spacers) (2)
9763-RED	Body, GTM shock, 6061-T6 aluminum (red-anodized) (includes spring pre-load spacers) (2)
9761A	Lower retainer, shock, brass (1 gram each) (4)
9762	Rebuild kit, GTM shock (o-rings, spacers, bladders, bottom caps) (renews 2 shocks)
9762A	Shock cap (2)/ spring perch (2)/ rod end (2)/ spring preload spacer (4)
9764	Shocks, GTM (assembled w/o springs) (2)
9764-BLUE	Shocks, GTM, 6061-T6 aluminum (blue-anodized) (fully assembled w/o springs) (4)
9764-GRAY	Shocks, GTM, 6061-T6 aluminum (dark titanium-anodized) (fully assembled w/o springs) (4)
9764-GRN	Shocks, GTM, 6061-T6 aluminum (green-anodized) (fully assembled w/o springs) (4)
9764-ORNG	Shocks, GTM, 6061-T6 aluminum (orange-anodized) (fully assembled w/o springs) (4)
9764-RED	Shocks, GTM, 6061-T6 aluminum (red-anodized) (fully assembled w/o springs) (4)
9757	Spring, shock (GTM) (0.072 rate) (1 pair)
9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9759	Spring, shock (GTM) (0.123 rate) (1 pair)
9760	Spring, shock (GTM) (0.155 rate) (1 pair)

### Springs

9757	Spring, shock (GTM) (0.072 rate) (1 pair)
9758	Spring, shock (GTM) (0.095 rate) (1 pair)
9759	Spring, shock (GTM) (0.123 rate) (1 pair)
9760	Spring, shock (GTM) (0.155 rate) (1 pair)

### Steering Components

9733-BLUE	Caster blocks, 6061-T6 aluminum (blue-anodized) (left & right)
9733-GRAY	Caster blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)
9733-GRN	Caster blocks, 6061-T6 aluminum (green-anodized) (left & right)
9733-ORNG	Caster blocks, 6061-T6 aluminum (orange-anodized) (left & right)
9733-RED	Caster blocks, 6061-T6 aluminum (red-anodized) (left & right)
9733	Caster blocks, brass (4 grams each) (left & right)
9737-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737-GRAY	Steering blocks, 6061-T6 aluminum (dark titanium-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737-RED	Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)
9737	Steering blocks, brass (7 grams each) (left & right)/ 2.5x12mm BCS (with threadlock) (2)/ 2x6mm SS (with threadlock) (4)

9732	Steering blocks, left & right/ caster blocks (c-hubs), left or right (2)
9748-BLUE	Steering link, 6061-T6 aluminum (blue-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9748-GRAY	Steering link, 6061-T6 aluminum (dark titanium-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9748-GRN	Steering link, 6061-T6 aluminum (green-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9748-ORNG	Steering link, 6061-T6 aluminum (orange-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9748-RED	Steering link, 6061-T6 aluminum (red-anodized)/ servo horn, metal/ spacers (2)/ 3x6mm CCS (with threadlock) (1)/ 2.5x7mm SS (with threadlock) (1)
9842	Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)

### Suspension Linkage

7028	Hollow balls (20)
7028X	Hollow balls, steel (machined) (22)
7059	Rod ends (8)/ hollow balls (8) (fits 1/16 and 1/18 accessory suspension links)
9749-BLUE	Suspension link set, 6061-T6 aluminum (blue-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))
9749-GRAY	Suspension link set, 6061-T6 aluminum (dark titanium-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))
9749-GRN	Suspension link set, 6061-T6 aluminum (green-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))
9749-ORNG	Suspension link set, 6061-T6 aluminum (orange-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))
9749-RED	Suspension link set, 6061-T6 aluminum (red-anodized) (includes 5x53mm front lower links (2), 5x46mm front upper links (2), 5x68mm rear lower or upper links (4))
9842	Suspension link set, complete (front & rear) (includes steering link (1), front lower links (2), front upper links (2), rear links (4)) (assembled with hollow balls) (fits 1/18 scale vehicles with long wheelbase)
9749	Suspension link set, steel (includes 4x53mm front lower links (2), 4x46mm front upper links (2), 4x68mm rear lower or upper links (4))

### Team Traxxas Items

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

### Tires & Wheels

9774	Tires & wheels, assembled (black 1.0" wheels, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" tires) (2)
9773	Tires & wheels, assembled (black 1.0" wheels, Canyon Trail 2.2x1.0" tires) (2)
9873	Tires & wheels, assembled (chrome 1.0" wheels, Mickey Thompson® Baja Pro™ Xs 2.4x1.0" tires) (2)
9771	Tires, BFGoodrich® Mud-Terrain™ T/A® KM3 2.2x1.0" (2)
9769	Tires, Canyon Trail 2.2x1.0" (2)
9782	Tires, Mickey Thompson® Baja Pro™ X 2.2x1.0" (2)
9871	Tires, Mickey Thompson® Baja Pro™ Xs 2.4x1.0" (2)
9750	Wheel hubs, 7mm hex (4)/ axle pins (8)
9750A	Wheel hubs, 7mm hex (steel) (4)/ axle pins (8)
9750X	Wheel hubs, 7mm hex, brass (1 gram each) (4)/ axle pins (8)
9780	Wheel weights, brass (31 grams each) (2) (requires #9781 series wheels)
9768-BLKCR	Wheels, 1.0" (black chrome) (2)
9770-BLKCR	Wheels, 1.0" (black chrome) (2)
9770	Wheels, 1.0" (black) (2)
9768	Wheels, 1.0" (black) (2)
9870	Wheels, 1.0" (chrome) (2)
9770-SATIN	Wheels, 1.0" (satin chrome) (2)
9768-SATIN	Wheels, 1.0" (satin chrome) (2)
9781	Wheels, 1.0", Method Race Wheels® 105 Beadlock (black, beadlock) (2)
9781-BLKBL	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin black chrome with blue beadlock) (2)
9781-SATIN	Wheels, 1.0", Method Race Wheels® 105 Beadlock (satin chrome, beadlock) (2)

### Transmission Components

9745R	Ball bearing kit, transmission, black rubber sealed (contains 3x6x2.5mm bearings (6))
9776	Gear set, transmission, high range (trail) (16.6:1 reduction ratio)/ pinion gear, 11-tooth
9776R	Gear set, transmission, low range (crawl) (40.3:1 reduction ratio)/ pinion gear, 11-tooth
9776X	Gear set, transmission, speed (9.7:1 reduction ratio)/ pinion gear, 11-tooth
9747	Gearbox housing (front & rear)/ 2x4mm BCS (with threadlock) (2)/ 2x8mm BCS (4)/ 3x6x2.5mm bushings, self-lubricating (6)/ 3x16mm pins (2)
9747X	Output shaft, transmission
9791	Transmission, complete (high range (trail) gearing) (16.6:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
9791R	Transmission, complete (low range (crawl) gearing) (40.3:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)
9791X	Transmission, complete (speed gearing) (9.7:1 reduction ratio) (assembled with ball bearings) (includes Titan® 87T motor)

### Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM